

## CALSMA LAGOON STORAGE - JUNE 30, 2012

Lagoon	Total Capacity		Empty Lagoon Depth @ DOB (feet)	Avg. Storage per foot (mil Gal)	Present Storage Depth @ DOB (feet)	Storage Depth Remaining @ DOB (feet)	Used Storage Volume* (mil Gal)	Storage Volume Remaining (mil Gal)	Present Lagoon Input Dry Tons	
	(Cu. Yd)	(mil Gal)								
L o w  S o l i d s	1	105,000	21.3	16.7	1.275	8.62	8.1	11.0	10.3	5,010
	2	110,000	22.3	17.0	1.312	11.00	6.0	14.4	7.9	5,575
	3	101,000	20.3	18.3	1.109	0.00	18.3	0.0	20.3	0
	4	101,000	20.5	18.5	1.108	0.00	18.5	0.0	20.5	0
	5	120,000	24.2	15.3	1.582	0.00	15.3	0.0	24.2	0
	6	138,000	27.8	16.8	1.655	15.55	1.3	25.7	2.1	7,945
	7	183,000	37.0	17.3	2.139	1.05	16.3	2.2	34.8	4,654
<b>8</b>	<b>Out of Service</b>									
L a g o o n s	14	133,000	26.8	19.0	1.411	7.59	11.4	10.7	16.1	2,305
	15	121,000	24.5	19.8	1.237	0.00	19.8	0.0	24.5	0
	17	204,000	41.3	19.3	2.140	6.70	12.6	13.0	28.3	5,297
	18	210,000	42.4	19.9	2.131	3.00	16.9	6.4	36.0	6,265
	19	199,000	40.2	19.9	2.020	15.65	4.3	31.6	8.6	8,693
Total	1,726,000	349					115.1	233	45,744	

\* Used storage volume for CALSMA lagoons is based on the depth measurement at the DOB, Used storage volume=Depth remaining\*Avg. storage per foot.

Approximate number of days for emergency low-solids capacity @ 3%TS: 320 days  
 Approximate number of days for emergency low-solids capacity @ 6%TS: 640 days  
 Approximate number of days for emergency low-solids capacity @ 9%TS: 960 days

Average daily digester discharge 2006 to 2011 = 0.73mgd