

*Protecting Our Water Environment*



*Metropolitan Water Reclamation District of Greater Chicago*

***MONITORING AND RESEARCH  
DEPARTMENT***

***REPORT NO. 14-34***

***TUNNEL AND RESERVOIR PLAN***

***THORNTON TRANSITIONAL FLOOD CONTROL***

***RESERVOIR AND WELLS***

***ANNUAL GROUNDWATER MONITORING REPORT***

***FOR 2013***

***September 2014***

**Protecting Our Water Environment**



**Metropolitan Water Reclamation District of Greater Chicago**

100 East Erie Street

Chicago, Illinois 60611-3154

312.751.5190

**THOMAS C. GRANATO, Ph.D.**

Director of Monitoring and Research

312.751.5190 f: 312.751.5194

thomas.granato@mwr.org

September 26, 2014

**BOARD OF COMMISSIONERS**

Kathleen Therese Meany

*President*

Barbara J McGowan

*Vice President*

Mariyana T. Spyropoulos

*Chairman of Finance*

Michael A. Alvarez

Frank Avila

Cynthia M. Santos

Debra Shore

Kari K. Steele

Patrick D. Thompson

Ms. Marcia Willhite  
Bureau Chief  
Bureau of Water  
Illinois Environmental Protection Agency  
P. O. Box 19276  
Springfield, IL 62794-9276

Dear Ms. Willhite:

Subject: Thornton Transitional Flood Control Reservoir and Wells, Annual Groundwater Monitoring Report for 2013

Attached are three copies of "Tunnel and Reservoir Plan, Thornton Transitional Flood Control Reservoir and Wells, Annual Groundwater Monitoring Report for 2013."

Since there were several fill events in the Thornton Transitional Flood Control Reservoir during 2013, groundwater samples were collected and analyzed during the year.

Very truly yours,

Thomas C. Granato, Ph.D.  
Director  
Monitoring and Research

TCG:PL:cm

cc w/att. Ms. Sally K. Swanson (USEPA Region 5 - WC15J) - (2)  
Dr. Zhang  
Dr. Cox  
Dr. Hundal  
Dr. Lindo  
cc w/o att: Mr. St. Pierre  
Ms. Sharma  
Mr. Cohen

**Metropolitan Water Reclamation District of Greater Chicago**  
100 East Erie Street Chicago, Illinois 60611-2803 (312) 751-5600

**TUNNEL AND RESERVOIR PLAN  
THORNTON TRANSITIONAL FLOOD CONTROL  
RESERVOIR AND WELLS  
ANNUAL GROUNDWATER MONITORING REPORT  
FOR 2013**

**Monitoring and Research Department**  
**Thomas C. Granato, Director**

**September 2014**

## TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	ii
LIST OF FIGURES	iii
ANNUAL DATA FOR MONITORING WELLS AND TRANSITIONAL RESERVOIR	1
Introduction	1
Project Description	1
Summary of Data for Monitoring Wells and Reservoir	3

## LIST OF TABLES

<u>Table No.</u>		<u>Page</u>
1	Diversions to the Thornton Transitional Flood Control Reservoir During 2013	4
2	Analysis of Groundwater From Monitoring Well Qt-1 at the Thornton Reservoir Site Sampled After Each Significant Rain and Fill Event During 2013	5
3	Analysis of Groundwater From Monitoring Well Qt-2 at the Thornton Reservoir Site Sampled After Each Significant Rain and Fill Event During 2013	8
4	Analysis of Groundwater From Monitoring Well Qt-3 at the Thornton Reservoir Site Sampled After Each Significant Rain and Fill Event During 2013	11
5	Analysis of Groundwater From Monitoring Well Qt-4 at the Thornton Reservoir Site Sampled After Each Significant Rain and Fill Event During 2013	14
6	Analysis of Water Sampled From the Thornton Reservoir After Each Significant Rain and Fill Event During 2013	17

## LIST OF FIGURES

<u>Figure No.</u>		<u>Page</u>
1	Thornton Transitional Reservoir Monitoring Well Locations	2

# ANNUAL DATA FOR MONITORING WELLS AND TRANSITIONAL RESERVOIR

## Introduction

This report is submitted annually to fulfill the reporting requirements of the Illinois Environmental Protection Agency (IEPA) regarding the utilization of the Thornton Transitional Reservoir for flood control. The reporting requirements, stated in Section 7 of the Scope of Work (SOW) approved by the IEPA on August 6, 2001, and modified May 9, 2005, for Groundwater Quality Monitoring of the Reservoir and adjacent wells, include:

1. Analytical data for the monitoring wells and transitional reservoir for the previous year.
2. Review and comparison of analytical data for the monitoring wells with calculated statistical limits for previously analyzed background samples in order to evaluate exceedances in the concentration limits of analytes.

## Project Description

The Reservoir is in the West Lobe of the Thornton Quarry, southeast of the intersection of the Tri-State Tollway and Halsted Street in Thornton, Illinois ([Figure 1](#)). The Reservoir was the final structure to be implemented for the Little Calumet River Watershed under the Natural Resources Conservation Service Little Calumet Watershed Plan of November 1998. The Reservoir provides 3.7 billion gallons (BG) of floodwater storage, increased from the original volume of 3.1 BG due to additional rock mining. This provides sufficient volume to capture a 100-year storm event from Thorn Creek at a point just south of the Tri-State Tollway. This project provides flood control benefits for 21 businesses and 4,400 residences, at an average cost of \$6.8 million per year. Within the Little Calumet watershed are the Illinois communities of Blue Island, Calumet City, Dixmoor, Dolton, Glenwood, Harvey, Lansing, Phoenix, Riverdale, and South Holland, which all benefit from the implemented flood control measures.

The Reservoir consists of a diversion structure at Thorn Creek, a 24-foot diameter dropshaft, and 22-foot diameter conveyance tunnel to the Lower West Lobe of Thornton Quarry. The project also includes an 8-foot diameter tunnel connected to the Calumet Tunnel and Reservoir Plan System that is utilized for Reservoir dewatering purposes only.

The rationale for collecting groundwater quality data for the four monitoring wells QT-1, QT-2, QT-3, and QT-4 and the Transitional Reservoir is to detect any potential contamination of groundwater in the monitoring wells and/or reservoir which may result from seepage during a fill or diversion event and to immediately implement measures to curtail and/or correct that contamination.

The analytes measured are:

1. pH, electrical conductivity (EC), total dissolved solids (TDS), BOD<sub>5</sub>, CN<sup>-</sup>, F<sup>-</sup>, Cl<sup>-</sup>, SO<sub>4</sub><sup>2-</sup>, NH<sub>3</sub>-N, NO<sub>2</sub>+NO<sub>3</sub>-N, and phenol.





FIGURE 1




LOCATION MAP  
Scale: NTS

LEGEND

- Monitoring Well
- ==== New Access Road
- Existing Access Road (to be improved)

MWRD SERVICE AREA



**THORNTON TRANSITIONAL RESERVOIR  
MONITORING WELL LOCATIONS**

METROPOLITAN WATER RECLAMATION  
DISTRICT OF GREATER CHICAGO  
ENGINEERING DEPARTMENT  
11-03 PLANNING JJK



2. Metals and trace elements: Ag, As, B, Ba, Cd, Cr, Cu, Fe, Hg, Mn, Ni, and Pb.
3. Other parameters: fecal coliform (FC), groundwater temperature, and water elevation.

There were four significant rain events and subsequent diversion/fill events during 2013 (Table 1) which required the sampling of both ground- and surface waters for analysis and evaluation. However, since the third and fourth events occurred close to each other, while there was still water in the reservoir from the third event, sampling for the third and fourth events were combined (listed as 'Event 3' in Tables 2 through 5).

### **Summary of Data for Monitoring Wells and Reservoir**

Prior to all diversion/pumpdown events and based on the requirements of the SOW, the monitoring wells and the Reservoir were sampled weekly as long as there was water in the Reservoir. Analytical data generated during the March 13 – May 16 and June 5 – 19 fill events of 2013 are presented in Tables 2 through 6 for Wells QT-1, -2, -3, -4, and the Reservoir, respectively. During these events, several parameters exceeded the 95 percent upper confidence limits established for the background samples (Tables 2 through 6). There was no exceedance in Wells QT-1 through -4 for  $\text{CN}^-$ ,  $\text{NO}_2+\text{NO}_3\text{-N}$ , FC, Ag, Cd, Cr, Hg, and Pb. However, there were exceedances in all the wells for EC, TDS,  $\text{F}^-$ ,  $\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ ,  $\text{NH}_3\text{-N}$ , B, Ba, Fe, and Mn. Exceedances for phenol, As, Cu, Ni, and  $\text{BOD}_5$  were sporadic in the wells. The confidence limit for  $\text{BOD}_5$  was exceeded only once in Well QT-3, and that occurred during the second rain event (E2) of 2013. For all other wells, there was no  $\text{BOD}_5$  exceedance during all rain events.

The Reservoir samples experienced a higher incidence of exceedances than the well samples. There were exceedances for the following analytes: TDS,  $\text{BOD}_5$ ,  $\text{F}^-$ ,  $\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ ,  $\text{NH}_3\text{-N}$ , FC, and metals Ba, Cr, Cu, Fe, Mn, Ni, and Pb. The analytes that showed no exceedances were  $\text{CN}^-$ , phenol, Ag, As, B, Cd, and Hg (Table 6).

Any event during which the concentrations of analytes exceed the upper limit of the 95 percent confidence interval is regarded as an excursion. An excursion may be defined as an elevated reading within a specific isolated location and indicates the potential for contamination. It may also be considered as the movement of constituents (as determined by analysis for control parameters) into a designated monitoring well. Overall, based on the number of exceedances in the well and reservoir samples collected at the Thornton site, there were numerous excursions at the Thornton site during the rain and fill events of 2013.

TABLE 1: DIVERSIONS TO THE THORNTON TRANSITIONAL  
FLOOD CONTROL RESERVOIR DURING 2013

Date of Diversion	Volume Collected in Thornton Transitional Reservoir	Rainfall (measured at Calumet WRP)	Date Reservoir Completely Drained	Number of Weeks Sampled
	Million Gallons	Inch		
March 12, 2013	313	0.92	March 19, 2013	1
April 18-21, 2013	2,504	4.71	May 24, 2013	4
May 31, 2013	2,151	0.72	June 5, 2013	2
June 13, 2013	68	0.51	June 14, 2013	1

TABLE 2: ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-1 AT THE THORNTON RESERVOIR  
SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	pH	EC <sup>2</sup>	TDS <sup>2</sup>	BOD <sub>5</sub>	CN <sup>-</sup>	F <sup>-</sup>	Cl <sup>-</sup>	SO <sub>4</sub> <sup>2-</sup>
			mS/M	----- mg/L -----					
Upper 95% Confidence Limit		N <sup>4</sup>	1	60	2	0.005	0.10	10	5
QT-1 ( <b>Event 1</b> )	03/13/13	6.7	257	2,378	NRR <sup>5</sup>	<0.005	0.39	921	315
Excursion		N	Yes	Yes	N	No	Yes	Yes	Yes
QT-1 ( <b>Event 2</b> )	04/24/13	7.2	232	2,488	<2	<0.005	0.37	<10	301
QT-1	05/02/13	7.3	239	2,408	<2	<0.005	0.32	44	298
QT-1	05/09/13	7.3	225	2,474	<2	<0.005	0.36	152	324
QT-1	05/16/13	7.0	300	2,394	<2	<0.005	0.37	90	317
Excursion		N	Yes	Yes	No	No	Yes	Yes	Yes
QT-1 ( <b>Event 3</b> )	06/05/13	6.9	290	2,476	<2	<0.005	0.34	874	300
QT-1	06/12/13	7.3	161	2,472	<2	<0.005	0.28	883	314
QT-1	06/19/13	7.0	282	2,512	<2	<0.005	0.38	906	222
Excursion		N	Yes	Yes	No	No	Yes	Yes	Yes

TABLE 2 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-1 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	NH <sub>3</sub> -N	NO <sub>2</sub> +NO <sub>3</sub> -N	Phenol	Ag	As	B	Ba	Cd
		----- mg/L -----							
Upper 95% Confidence Limit		0.10	0.15	5	0.001	0.050	0.05	0.004	0.001
QT-1 (Event 1)	03/13/13	0.52	<0.15	<5	<0.001	<0.050	0.32	0.076	<0.001
Excursion		Yes	No	No	No	No	Yes	Yes	No
QT-1 (Event 2)	04/24/13	0.55	<0.15	5	<0.001	<0.050	0.26	0.083	<0.001
QT-1	05/02/13	0.42	<0.15	<5	<0.001	<0.050	0.29	0.046	<0.001
QT-1	05/09/13	0.40	<0.15	<5	<0.001	0.054	0.27	0.078	<0.001
QT-1	05/16/13	0.40	<0.15	<5	<0.001	0.053	0.26	0.076	<0.001
Excursion		Yes	No	No	No	Yes	Yes	Yes	No
QT-1 (Event 3)	06/05/13	0.45	<0.15	9	<0.001	0.053	0.36	0.065	<0.001
QT-1	06/12/13	0.43	<0.15	<5	<0.001	0.070	0.33	0.050	<0.001
QT-1	06/19/13	0.31	<0.15	<5	<0.001	0.055	0.32	0.039	<0.001
Excursion		Yes	No	Yes	No	Yes	Yes	Yes	No

TABLE 2 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-1 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	Cr	Cu	Fe	Hg	Mn	Ni	Pb	Fecal Coliform	Temp °C	Water Elevation <sup>3</sup> (ft)
		----- mg/L -----							MPN/100mL	°C	(ft)
Upper 95% Confidence Limit		0.005	0.005	0.10	0.0002	0.001	0.005	0.02	1	N	N
QT-1 (Event 1)	03/13/13	<0.005	<0.005	14	<0.0002	0.218	<0.005	<0.02	<1	11.1	-151
Excursion		No	No	Yes	No	Yes	No	No	No	N	N
QT-1 (Event 2)	04/24/13	<0.005	0.008	8.2	<0.0002	0.051	<0.005	<0.02	<1	11.9	-143
QT-1	05/02/13	<0.005	0.005	11	<0.0002	0.333	<0.005	<0.02	<1	12.7	-140
QT-1	05/09/13	<0.005	0.005	12	<0.0002	0.060	<0.005	<0.02	<1	14.0	-156
QT-1	05/16/13	<0.005	0.005	10	<0.0002	0.070	<0.005	<0.02	<1	12.9	-153
Excursion		No	Yes	Yes	No	Yes	No	No	No	N	N
QT-1 (Event 3)	06/05/13	<0.005	0.016	6.7	<0.0002	0.093	<0.005	<0.02	<1	17.3	-162
QT-1	06/12/13	<0.005	<0.005	7.4	<0.0002	0.201	<0.005	<0.02	<1	14.1	-166
QT-1	06/19/13	<0.005	<0.005	6.6	<0.0002	0.275	<0.005	<0.02	<1	13.7	-154
Excursion		No	Yes	Yes	No	Yes	No	No	No	N	N

<sup>1</sup>Samples retrieved from QT-1 after rain and fill events during 2013.

<sup>2</sup>EC = electrical conductivity; TDS = total dissolved solids.

<sup>3</sup>Relative to Chicago city datum (579.48 ft above mean sea level) at intersection of Madison and State Streets.

<sup>4</sup>Not applicable; no specified confidence limits for several parameters.

<sup>5</sup>No reportable result, therefore confidence limit not applicable for determination of excursion.

TABLE 3: ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-2 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	pH	EC <sup>2</sup>	TDS <sup>2</sup>	BOD <sub>5</sub>	CN <sup>-</sup>	F <sup>-</sup>	Cl <sup>-</sup>	SO <sub>4</sub> <sup>2-</sup>
			mS/M	----- mg/L -----					
Upper 95% Confidence Limit		N <sup>4</sup>	1	60	2	0.005	0.10	10	5
QT-2 (Event 1)	03/13/13	7.1	135	1,436	NRR <sup>5</sup>	<0.005	0.31	241	536
∞ Excursion		N	Yes	Yes	N	No	Yes	Yes	Yes
QT-2 (Event 2)	04/24/13	7.1	130	1,364	<2	<0.005	0.25	27	506
QT-2	05/02/13	7.2	94	970	3	<0.005	0.23	118	374
QT-2	05/09/13	7.2	130	1,116	<2	<0.005	0.25	111	454
QT-2	05/16/13	7.0	125	1,236	<2	<0.005	0.25	116	511
Excursion		N	Yes	Yes	No	No	Yes	Yes	Yes
QT-2 (Event 3)	06/05/13	7.1	139	1,496	<2	<0.005	0.22	141	555
QT-2	06/12/13	7.1	96	1,398	<2	<0.005	0.27	150	620
QT-2	06/19/13	7.4	192	1,444	<2	<0.005	0.27	137	563
Excursion		N	Yes	Yes	No	No	Yes	Yes	Yes

TABLE 3 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-2 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	NH <sub>3</sub> -N	NO <sub>2</sub> +NO <sub>3</sub> -N	Phenol	Ag	As	B	Ba	Cd
		----- mg/L -----							
Upper 95% Confidence Limit		0.10	0.15	5	0.001	0.050	0.05	0.004	0.001
QT-2 (Event 1)	03/13/13	0.13	<0.15	<5	<0.001	0.052	0.27	0.046	<0.001
Excursion		Yes	No	No	No	Yes	Yes	Yes	No
QT-2 (Event 2)	04/24/13	0.21	<0.15	<5	<0.001	0.055	0.21	0.042	<0.001
QT-2	05/02/13	0.10	<0.15	<5	<0.001	<0.050	0.13	0.030	<0.001
QT-2	05/09/13	0.10	<0.15	<5	<0.001	0.058	0.16	0.034	<0.001
QT-2	05/16/13	<0.10	<0.15	<5	<0.001	0.062	0.15	0.032	<0.001
Excursion		Yes	No	No	No	Yes	Yes	Yes	No
QT-2 (Event 3)	06/05/13	<0.10	<0.15	<5	<0.001	0.069	0.21	0.038	<0.001
QT-2	06/12/13	0.12	<0.15	5	<0.001	0.100	0.22	0.040	<0.001
QT-2	06/19/13	<0.10	<0.15	<5	<0.001	0.082	0.20	0.039	<0.001
Excursion		Yes	No	No	No	Yes	Yes	Yes	No

6

TABLE 3 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-2 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	Cr	Cu	Fe	Hg	Mn	Ni	Pb	Fecal Coliform	Temp °C	Water Elevation <sup>3</sup> (ft)
		----- mg/L -----							MPN/100mL	°C	(ft)
Upper 95% Confidence Limit		0.005	0.005	0.10	0.0002	0.001	0.005	0.02	1	N	N
QT-2 (Event 1)	03/13/13	<0.005	<0.005	3.1	<0.0002	0.044	0.010	<0.02	<1	12.1	-199
Excursion		No	No	Yes	No	Yes	Yes	No	No	N	N
QT-2 (Event 2)	04/24/13	<0.005	<0.005	4.8	<0.0002	0.216	0.013	<0.02	<1	13.3	-189
QT-2	05/02/13	<0.005	<0.005	8.5	<0.0002	0.194	0.014	<0.02	<1	13.8	-182
QT-2	05/09/13	<0.005	<0.005	6.3	<0.0002	0.109	0.016	<0.02	<1	13.2	-184
QT-2	05/16/13	<0.005	0.013	3.9	<0.0002	0.071	0.013	<0.02	<1	14.1	-203
Excursion		No	Yes	Yes	No	Yes	Yes	No	No	N	N
QT-2 (Event 3)	06/05/13	<0.005	0.014	2.2	<0.0002	0.035	0.011	<0.02	<1	14.8	-198
QT-2	06/12/13	<0.005	<0.005	2.3	<0.0002	0.028	0.014	<0.02	<1	17.2	-207
QT-2	06/19/13	<0.005	0.009	2.0	<0.0002	0.028	0.011	<0.02	<1	14.3	-194
Excursion		No	Yes	Yes	No	Yes	Yes	No	No	N	N

<sup>1</sup>Samples retrieved from QT-2 after rain and fill events during 2013.

<sup>2</sup>EC = electrical conductivity; TDS = total dissolved solids.

<sup>3</sup>Relative to Chicago city datum (579.48 ft above mean sea level) at intersection of Madison and State Streets.

<sup>4</sup>Not applicable; no specified confidence limits for several parameters.

<sup>5</sup>No reportable result, therefore confidence limit not applicable for determination of excursion.



TABLE 4: ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-3 AT THE THORNTON RESERVOIR  
SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	pH	EC <sup>2</sup>	TDS <sup>2</sup>	BOD <sub>5</sub>	CN <sup>-</sup>	F <sup>-</sup>	Cl <sup>-</sup>	SO <sub>4</sub> <sup>2-</sup>
			mS/M	----- mg/L -----					
Upper 95% Confidence Limit		N <sup>4</sup>	1	60	2	0.005	0.10	10	5
QT-3 (Event 1)	03/13/13	7.1	109	990	NRR <sup>5</sup>	<0.005	0.19	258	229
Excursion		N	Yes	Yes	N	No	Yes	Yes	Yes
QT-3 (Event 2)	04/24/13	7.1	100	1,320	<2	<0.005	0.18	38	247
QT-3	05/02/13	7.1	113	1,194	<2	0.005	0.16	148	230
QT-3	05/09/13	7.1	112	1,282	5	<0.005	0.19	154	227
QT-3	05/16/13	7.0	148	1,266	<2	<0.005	0.19	165	212
Excursion		N	Yes	Yes	Yes	No	Yes	Yes	Yes
QT-3 (Event 3)	06/05/13	7.0	147	1,376	<2	<0.005	0.13	320	219
QT-3	06/12/13	7.0	97	1,320	<2	<0.005	0.17	310	244
QT-3	06/19/13	7.1	93	1,386	<2	<0.005	0.18	303	235
Excursion		N	Yes	Yes	No	No	Yes	Yes	Yes

TABLE 4 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-3 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	NH <sub>3</sub> -N	NO <sub>2</sub> +NO <sub>3</sub> -N	Phenol	Ag	As	B	Ba	Cd
----- mg/L -----									
Upper 95% Confidence Limit		0.10	0.15	5	0.001	0.050	0.05	0.004	0.001
QT-3 (Event 1)	03/13/13	0.29	<0.15	<5	<0.001	<0.050	0.23	0.071	<0.001
Excursion		Yes	No	No	No	No	Yes	Yes	No
QT-3 (Event 2)	04/24/13	0.36	<0.15	8	<0.001	<0.050	0.11	0.085	<0.001
QT-3	05/02/13	0.25	<0.15	<5	<0.001	<0.050	0.13	0.077	<0.001
QT-3	05/09/13	0.29	<0.15	<5	<0.001	<0.050	0.14	0.078	<0.001
QT-3	05/16/13	0.24	<0.15	<5	<0.001	<0.050	0.13	0.074	<0.001
Excursion		Yes	No	Yes	No	No	Yes	Yes	No
QT-3 (Event 3)	06/05/13	0.24	<0.15	10	<0.001	0.052	0.15	0.080	<0.001
QT-3	06/12/13	0.24	<0.15	9	<0.001	0.075	0.15	0.085	<0.001
QT-3	06/19/13	0.14	<0.15	<5	<0.001	0.073	0.14	0.083	<0.001
Excursion		Yes	No	Yes	No	Yes	Yes	Yes	No

TABLE 4 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-3 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	Cr	Cu	Fe	Hg	Mn	Ni	Pb	Fecal Coliform	Temp	Water Elevation <sup>3</sup>
		----- mg/L -----							MPN/100mL	°C	(ft)
Upper 95% Confidence Limit		0.005	0.005	0.10	0.0002	0.001	0.005	0.02	1	N	N
QT-3 (Event 1)	03/13/13	<0.005	<0.005	7.7	<0.0002	0.087	<0.005	<0.02	<1	10.3	-200
Excursion		No	No	Yes	No	Yes	No	No	No	N	N
QT-3 (Event 2)	04/24/13	<0.005	0.014	23	<0.0002	0.199	0.007	<0.02	<1	11.5	-194
QT-3	05/02/13	<0.005	0.005	18	<0.0002	0.265	0.008	<0.02	<1	12.0	-188
QT-3	05/09/13	<0.005	0.005	17	<0.0002	0.209	<0.005	<0.02	<1	14.6	-175
QT-3	05/16/13	<0.005	0.013	22	<0.0002	0.319	<0.005	<0.02	<1	13.2	-204
Excursion		No	Yes	Yes	No	Yes	Yes	No	No	N	N
QT-3 (Event 3)	06/05/13	<0.005	0.013	15	<0.0002	0.173	<0.005	<0.02	<1	13.5	-186
QT-3	06/12/13	<0.005	<0.005	15	<0.0002	0.162	<0.005	<0.02	<1	12.3	-196
QT-3	06/19/13	<0.005	0.014	17	<0.0002	0.188	<0.005	<0.02	<1	13.1	-201
Excursion		No	Yes	Yes	No	Yes	No	No	No	N	N

<sup>1</sup>Samples retrieved from QT-3 after rain and fill events during 2013.

<sup>2</sup>EC = electrical conductivity; TDS = total dissolved solids.

<sup>3</sup>Relative to Chicago city datum (579.48 ft above mean sea level) at intersection of Madison and State Streets.

<sup>4</sup>Not applicable; no specified confidence limits for several parameters.

<sup>5</sup>No reportable result, therefore confidence limit not applicable for determination of excursion.

TABLE 5: ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-4 AT THE THORNTON RESERVOIR  
SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	pH	EC <sup>2</sup>	TDS <sup>2</sup>	BOD <sub>5</sub>	CN <sup>-</sup>	F <sup>-</sup>	Cl <sup>-</sup>	SO <sub>4</sub> <sup>2-</sup>
			mS/M	----- mg/L -----					
Upper 95% Confidence Limit		N <sup>4</sup>	1	60	2	0.005	0.10	10	5
QT-4 (Event 1)	03/13/13	7.1	161	1,520	NRR <sup>5</sup>	<0.005	0.26	455	244
Excursion		N	Yes	Yes	N	No	Yes	Yes	Yes
QT-4 (Event 2)	04/24/13	7.5	155	1,500	<2	<0.005	0.17	63	223
QT-4	05/02/13	7.0	142	1,442	<2	<0.005	0.23	<10	252
QT-4	05/09/13	7.2	110	1,408	<2	<0.005	0.22	184	229
QT-4	05/16/13	7.1	174	1,408	<2	<0.005	0.25	189	215
Excursion		N	Yes	Yes	No	No	Yes	Yes	Yes
QT-4 (Event 3)	06/05/13	7.0	173	1,522	<2	<0.005	0.19	364	260
QT-4	06/12/13	7.0	119	1,452	<2	<0.005	0.25	357	246
QT-4	06/19/13	7.2	143	1,498	<2	<0.005	0.25	376	238
Excursion		N	Yes	Yes	No	No	Yes	Yes	Yes

TABLE 5 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-4 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	NH <sub>3</sub> -N	NO <sub>2</sub> +NO <sub>3</sub> -N	Phenol	Ag	As	B	Ba	Cd
----- mg/L -----									
Upper 95% Confidence Limit		0.10	0.15	5	0.001	0.050	0.05	0.004	0.001
QT-4 (Event 1)	03/13/13	0.46	<0.15	<5	<0.001	<0.050	0.43	0.094	<0.001
Excursion		Yes	No	No	No	No	Yes	Yes	No
QT-4 (Event 2)	04/24/13	0.47	<0.15	5	<0.001	<0.050	0.37	0.068	<0.001
QT-4	05/02/13	0.40	<0.15	<5	<0.001	<0.050	0.37	0.083	<0.001
QT-4	05/09/13	0.41	<0.15	<5	<0.001	<0.050	0.38	0.083	<0.001
QT-4	05/16/13	0.40	<0.15	<5	<0.001	<0.050	0.37	0.082	<0.001
Excursion		Yes	No	No	No	No	Yes	Yes	No
QT-4 (Event 3)	06/05/13	0.41	<0.15	9	<0.001	0.050	0.39	0.086	<0.001
QT-4	06/12/13	0.41	<0.15	<5	<0.001	0.079	0.39	0.090	<0.001
QT-4	06/19/13	0.29	<0.15	<5	<0.001	0.068	0.38	0.092	<0.001
Excursion		Yes	No	Yes	No	Yes	Yes	Yes	No

TABLE 5 (Continued): ANALYSIS OF GROUNDWATER FROM MONITORING WELL QT-4 AT THE THORNTON RESERVOIR SITE SAMPLED AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Well <sup>1</sup>	Sample Date	Cr	Cu	Fe	Hg	Mn	Ni	Pb	Fecal Coliform	Temp °C	Water Elevation <sup>3</sup> (ft)
		----- mg/L -----							MPN/100mL	°C	(ft)
Upper 95% Confidence Limit		0.005	0.005	0.10	0.0002	0.001	0.005	0.02	1	N	N
QT-4 (Event 1)	03/13/13	<0.005	<0.005	9.9	<0.0002	0.213	<0.005	<0.02	<1	12.8	-110
Excursion		No	Yes	Yes	No	Yes	No	No	No	N	N
QT-4 (Event 2)	04/24/13	<0.005	<0.005	10	<0.0002	0.289	<0.005	<0.02	<1	12.6	-103
QT-4	05/02/13	<0.005	<0.005	4.2	<0.0002	0.069	<0.005	<0.02	<1	13.2	-99
QT-4	05/09/13	<0.005	<0.005	13	<0.0002	0.109	<0.005	<0.02	<1	21.1	-89
QT-4	05/16/13	<0.005	0.010	15	<0.0002	0.212	<0.005	<0.02	<1	14.5	-115
Excursion		No	Yes	Yes	No	Yes	No	No	No	N	N
QT-4 (Event 3)	06/05/13	<0.005	0.013	14	<0.0002	0.138	<0.005	<0.02	<1	14.1	-112
QT-4	06/12/13	<0.005	<0.005	14	<0.0002	0.119	<0.005	<0.02	<1	12.1	-119
QT-4	06/19/13	<0.005	0.016	14	<0.0002	0.131	<0.005	<0.02	<1	13.8	-109
Excursion		No	Yes	Yes	No	Yes	No	No	No	N	N

<sup>1</sup>Samples retrieved from QT-4 after rain and fill events during 2013.

<sup>2</sup>EC = electrical conductivity; TDS = total dissolved solids.

<sup>3</sup>Relative to Chicago city datum (579.48 ft above mean sea level) at intersection of Madison and State Streets.

<sup>4</sup>Not applicable; no specified confidence limits for several parameters.

<sup>5</sup>No reportable result, therefore confidence limit not applicable for determination of excursion.

TABLE 6: ANALYSIS OF WATER SAMPLED FROM THE THORNTON RESERVOIR AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Reservoir <sup>1</sup>	Sample Date	pH	EC <sup>2</sup>	TDS <sup>2</sup>	BOD <sub>5</sub>	CN <sup>-</sup>	F <sup>-</sup>	Cl <sup>-</sup>	SO <sub>4</sub> <sup>2-</sup>
			mS/M	----- mg/L -----					
Upper 95% Confidence Limit		N <sup>4</sup>	1	60	2	0.005	0.10	10	5
17 Thornton Reservoir	03/12/13	7.0	NA <sup>5</sup>	442	NRR <sup>6</sup>	<0.005	0.20	157	70
			"	188	<2	<0.005	0.17	40	28
Thornton Reservoir	04/23/13	7.2	"	204	3	<0.005	0.18	39	31
Thornton Reservoir	05/01/13	6.7	"	218	4	<0.005	0.18	42	30
Thornton Reservoir	05/09/13	7.6	"	214	6	<0.005	0.19	41	30
Thornton Reservoir	05/15/13	7.2							
Excursion		N	N	Yes	Yes	No	Yes	Yes	Yes

TABLE 6 (Continued): ANALYSIS OF WATER SAMPLED FROM THE THORNTON RESERVOIR AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Reservoir <sup>1</sup>	Sample Date	NH <sub>3</sub> -N	NO <sub>2</sub> +NO <sub>3</sub> -N	Phenol	Ag	As	B	Ba	Cd
		----- mg/L -----							
Upper 95% Confidence Limit		0.10	0.15	5	0.001	0.050	0.05	0.004	0.001
Thornton Reservoir	03/12/13	0.27	1.3	<5	<0.001	<0.050	0.06	0.040	<0.001
Thornton Reservoir	04/23/13	0.35	0.94	<5	<0.001	<0.050	<0.05	0.044	<0.001
Thornton Reservoir	05/01/13	0.43	1.1	<5	<0.001	<0.050	<0.05	0.045	<0.001
Thornton Reservoir	05/09/13	<0.10	0.91	<5	<0.001	<0.050	<0.05	0.030	<0.001
Thornton Reservoir	05/15/13	0.24	0.94	<5	<0.001	<0.050	<0.05	0.120	<0.001
Excursion		Yes	Yes	No	No	No	No	Yes	No



TABLE 6 (Continued): ANALYSIS OF WATER SAMPLED FROM THE THORNTON RESERVOIR AFTER EACH SIGNIFICANT RAIN AND FILL EVENT DURING 2013

Reservoir <sup>1</sup>	Sample Date	Cr	Cu	Fe	Hg	Mn	Ni	Pb	Fecal Coliform	Temp	Water Elevation <sup>3</sup>
		----- mg/L -----							MPN/100mL	°C	(ft)
Upper 95% Confidence Limit		0.005	0.005	0.10	0.0002	0.001	0.005	0.02	1	N	N
Thornton Reservoir	03/12/13	0.005	0.007	4.9	<0.0002	0.102	0.008	<0.02	3,100	NA	NA
Thornton Reservoir	04/23/13	0.007	0.021	5.8	<0.0002	0.076	0.009	<0.02	200	"	"
Thornton Reservoir	05/01/13	0.006	0.006	3.9	<0.0002	0.039	0.006	<0.02	60	"	"
Thornton Reservoir	05/09/13	<0.005	0.006	2.3	<0.0002	0.020	<0.005	<0.02	9	"	"
Thornton Reservoir	05/15/13	0.030	0.045	18	<0.0002	0.298	0.024	0.03	50	"	"
Excursion		Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	N	N

<sup>1</sup>Samples retrieved from the Thornton reservoir after rain and fill events during 2013; reservoir sampled at end of pump-down following each event.

<sup>2</sup>EC = electrical conductivity; TDS = total dissolved solids.

<sup>3</sup>Relative to Chicago city datum (579.48 ft above mean sea level) at intersection of Madison and State Streets.

<sup>4</sup>Not applicable; no specified confidence limits for several parameters. Excursions cannot be determined.

<sup>5</sup>No analysis; no readings available for EC and water temperature and elevation in Reservoir.

<sup>6</sup>No reportable result.