

### Metropolitan Water Reclamation District of Greater Chicago

### MONITORING AND RESEARCH DEPARTMENT

**REPORT NO. 22-29** 

THORNTON COMPOSITE RESERVOIR

GROUNDWATER MONITORING REPORT

SECOND QUARTER 2022

# Protecting Our Water Environment

#### Metropolitan Water Reclamation District of Greater Chicago

CECIL LUE-HING RESEARCH AND DEVELOPMENT COMPLEX
6001 WEST PERSHING ROAD CICERO, ILLINOIS 60804-4112

Edward W. Podczerwinski, P.E. Director of Monitoring and Research

August 19, 2022

BOARD OF COMMISSIONERS

Kari K. Steele President Barbara J. McGowan Vice President Marcelino Garcia

Chairman of Finance

Cameron Davis Kimberly Du Buclet Josina Morita Chakena D. Perry Eira L. Corral Sepúlveda Mariyana T. Spyropoulos

Mr. Michael Summers Groundwater Section Manager Bureau of Water/Public Water Supplies Illinois Environmental Protection Agency 1021 North Grand Avenue East Springfield, IL 62794

Dear Mr. Summers:

Subject: Transmittal of the Report "Thornton Composite Reservoir Groundwater Monitoring Report Second Quarter 2022"

Please find attached the report entitled "Thornton Composite Reservoir Groundwater Monitoring Report Second Quarter 2022" transmitted electronically. The report is prepared for transmittal to the Illinois Environmental Protection Agency (IEPA) in accordance with the Thornton Composite Reservoir (TCR) Groundwater Monitoring Plan. Also attached is the Excel® spreadsheet of the TCR raw data as required by the IEPA.

If you have any questions or would like to have additional information, please contact Mr. Benjamin Morgan at (708) 588-3743 or MorganB@mwrd.org.

Very truly yours,

Albert E. Cox, Ph.D.

Albert Cox

Environmental Monitoring and Research Manager Monitoring and Research Department

AC:BM:lf Attachments

cc: Mr. M. Brown, IEPA Mr. E. Podczerwinski 100 East Erie Street Chicago, Illinois 60611-2803 (312) 751-5600

## THORNTON COMPOSITE RESERVOIR GROUNDWATER MONITORING REPORT SECOND QUARTER 2022

By

Benjamin Morgan Environmental Soil Scientist

**Guanglong Tian Principal Environmental Scientist** 

Albert Cox Environmental Monitoring and Research Manager

Heng Zhang Assistant Director of Monitoring and Research Environmental Monitoring and Research Division

Monitoring and Research Department Edward W. Podczerwinski, Director

#### **TABLE OF CONTENTS**

	Page
LIST OF TABLES	ii
LIST OF FIGURES	iii
LIST OF ABBREVIATIONS	iv
ACKNOWLEDGMENTS	v
DISCLAIMER	v
INTRODUCTION	1
FIELD ACTIVITIES	5
ANALYTICAL RESULTS	7
REFERENCES	12

#### LIST OF TABLES

Table No.		Page
1	Characteristics of Monitoring Wells TB-118 Through TB-124 at the Thornton Composite Reservoir Site	3
2	Devices and Corresponding Dates of Sampling During the Fill Event Sampling in April and May 2022	6
3	Analytical Methods Used for Required Parameters	8
4	Analysis of Groundwater Sampled from Monitoring Wells TB-118 Through TB-124 and the Main Quarry Sump at the Thornton Composite Reservoir Site for the First Sampling of the Fill Event in April 2022	9
5	Analysis of Groundwater Sampled from Monitoring Wells TB-118 Through TB-124 and the Main Quarry Sump at the Thornton Composite Reservoir Site for the Second Sampling of the Fill Event in April 2022	10
6	Analysis of Groundwater Sampled from Monitoring Wells TB-118 Through TB-124 and the Main Quarry Sump at the Thornton Composite Reservoir Site for the Fill Event Sampling in May 2022	11

#### LIST OF FIGURES

Figure		
No.		Page
1	Monitoring Well and Main Quarry Sump Locations	2

#### LIST OF ABBREVIATIONS

Acronym	Definition						
CCD	Chicago City Datum						
CFU	colony forming unit						
CSF	combined sewer flow						
EC	electrical conductivity						
GMP	Groundwater Monitoring Plan						
GPS	Groundwater Protection System						
TCR	Thornton Composite Reservoir						
TDS	total dissolved solids						
TOC	total organic carbon						

#### **ACKNOWLEDGMENTS**

This report for the Thornton Composite Reservoir (TCR) Groundwater Monitoring was generated by the Monitoring and Research Department. All samples were collected by A3 Environmental Consultants (contractor) under TCR Contract 21-100-11. Analyses were performed by the Analytical Laboratories Division and the Analytical Microbiology Laboratory of the Metropolitan Water Reclamation District of Greater Chicago (District). Special thanks are due to Ms. Laura Franklin for typing and formatting this report.

#### **DISCLAIMER**

Mention of proprietary equipment and chemicals in this report does not constitute endorsement by the District.

#### INTRODUCTION

A Groundwater Protection System (GPS) was constructed for the Thornton Composite Reservoir (TCR) to protect against the exfiltration of combined sewer flow (CSF) into the surrounding dolomite aquifers. The CSF and minimal amounts of stormwater are stored in the reservoir during and after large storm events. To monitor the performance of the GPS, a network of monitoring wells located outside the perimeter of the GPS is being monitored as discussed in the Revised Groundwater Monitoring Plan (GMP) (Black & Veatch, 2016). As explained in the Revised GMP, one sample of reservoir water, one from the Main Quarry Sump, and one from each of the seven wells are collected annually and analyzed for the Illinois Administrative Code Title 35 Part 620 Class I (Class I) groundwater constituents. In addition, following a reservoir fill event or during a routine quarterly event, groundwater is sampled from the seven wells and the Main Quarry Sump and tested for a targeted list of parameters that are more likely to be detected in CSF water.


The monitoring well system consists of one deep well, TB-124, which monitors the underlying Galena Aquifer, and six vertical Westbay multi-level monitoring wells, TB-118, TB-119, TB-120, TB-121, TB-122, and TB-123, which monitor the Silurian dolomite aquifers. As discussed in the Revised GMP, following a reservoir fill event, sampling is required every two weeks while the water in the reservoir remains above an elevation of -280 feet Chicago City Datum (CCD). Groundwater is sampled from each well at the first sample interval port immediately below the reservoir water elevation. Each of the multilevel monitoring wells is capable of monitoring four distinct 20-foot intervals in the Silurian dolomite aquifer.

The locations of the monitoring wells, the quarry sump, the TCR, and the GPS are presented in <u>Figure 1</u>. The Main Quarry Sump is located beyond the south boundary of the GPS and is not a component of the TCR but is an integral part of the Hanson Material Services mining quarry to the south of the TCR. This sump facilitates mining operations by minimizing the water level at the bottom of the quarry. It is possible that the bottom of this sump could extend beyond the lowest depth of the TCR (-297.5 feet CCD). The sump contains mainly groundwater and small quantities of surface runoff, and it is sampled quarterly and during fill events, along with the wells, to evaluate the potential migration of contaminants from the TCR to the sump.

<u>Table 1</u> lists the characteristics of all wells at the TCR site (well location coordinates, elevations, and depths, and the sampling port interval elevations).

Prior to the TCR becoming operational in November 2015, eight (8) sampling events were conducted on a quarterly basis for two years (May 2012 through March 2014) to provide background data on the existing groundwater quality. In order to evaluate the effectiveness of the grout curtain and the GPS, the Revised GMP (2016) presents the analysis of data for all samples collected during the background monitoring period and provides a baseline for comparison with routine monitoring data. Changes over time in groundwater calcium and magnesium concentrations would also be useful in tracking the occurrence of infiltration/exfiltration. Groundwater analytical data routinely generated for the monitoring wells, reservoir, and sump will also be compared with the Class I Groundwater Standards (Illinois Pollution Control Board, Illinois Environmental Protection Agency, 2013) to evaluate any exceedances in groundwater standards.

FIGURE 1: MONITORING WELL AND MAIN QUARRY SUMP LOCATIONS



 $\boldsymbol{\omega}$ 

TABLE 1: CHARACTERISTICS OF MONITORING WELLS TB-118 THROUGH TB-124 AT THE THORNTON COMPOSITE RESERVOIR SITE

	Coordinates <sup>1</sup> Northing Easting			Top of Riser Elevation	Depth of Well	<b>S</b>	Sampling Port Interval (ft, CCD)				
Well ID	(ft)	(ft)	$(ft, CCD^2)$	(ft, CCD)	(ft)	Interval 1	Interval 2	Interval 3	Interval 4		
TB-118	1,791,110.38	693,560.44	38.5	41.5	532	-85 to -105	-212 to -232	-283 to -303	-392 to -412		
TB-119	1,792,316.63	695,509.39	27.9	29.5	529	-85 to -105	-212 to -232	-283 to -303	-392 to -412		
TB-120	1,790,782.31	696,888.93	40.0	42.1	540	-86 to -106	-213 to -233	-284 to -304	-393 to -413		
TB-121	1,792,193.10	696,044.98	29.4	30.4	461	-84 to -104	-211 to -231	-282 to -302	-391 to -411		
TB-122	1,790,288.61	693,549.38	48.8	51.7	480	-85 to -105	-212 to -232	-283 to -303	-392 to -412		
TB-123	1,792,185.60	693,685.69	28.9	31.8	460	-84 to -104	-211 to -231	-282 to -302	-391 to -411		
$TB-124^3$	1,792,200.77	695,591.56	29.6	29.2	728		-663	to -698			

<sup>&</sup>lt;sup>1</sup>Illinois State Plane Coordinate System (NAD 1927).

<sup>2</sup>Chicago City Datum (CCD).

<sup>3</sup>TB-124 is a conventional well screened from -663 to -698 ft CCD. Samples are taken at approximately 650 ft below ground surface.

There were two fill events during the second quarter of 2022 (the second and third events of 2022). The first fill event of the quarter began on March 31 and lasted until April 23, requiring two biweekly samplings. Two partial samplings were completed using a manual bailer because the Westbay probe and control device were undergoing repairs. The first partial sampling during the fill event was conducted on April 7, including only the conventional well TB-124 and the Main Quarry Sump, as sampling of the multi-port Westbay wells could not be done using the manual bailer. The second partial sampling for the fill event was conducted on April 26, including well TB-124 and the Main Quarry Sump. The second fill event of the quarter began on May 4 and lasted until May 14, requiring a single sampling. A partial sampling was conducted on May 6, including well TB-124 and the Main Quarry Sump.

This report presents field activities, observations, and analytical data for surface and groundwater monitoring samples taken at the Main Quarry Sump and monitoring well TB-124 from April 7 to May 6, 2022.

#### FIELD ACTIVITIES

For this report period, three partial sets of fill event samples were collected at the Main Quarry Sump and the deep well. Sample collection dates are shown in <u>Table 2</u>.

Using a Myron L Ultrameter pH/conductivity/temperature meter, the pH, electrical conductivity (EC), and temperature of each sample were measured and recorded immediately after collection.

Hydrostatic pressure could not be measured to calculate the groundwater elevation because the Westbay probe and control device were undergoing repairs.

All samples were packed in ice and shipped to the Metropolitan Water Reclamation District of Greater Chicago's (District's) Analytical Laboratories Division for the analysis of selected inorganic constituents (Class I Groundwater Standards) in accordance with the Revised GMP. Additional aliquots were also prepared in the field and shipped in ice to the District's Analytical Microbiology Laboratory for fecal coliform (FC) analysis.

TABLE 2: DEVICES AND CORRESPONDING DATES OF SAMPLING DURING THE FILL EVENT SAMPLING IN APRIL AND MAY 2022

Date of Sampling	Device/Structure Sampled
Apri	l fill event, Sampling #1
04/07/22	TB-124, Main Quarry Sump
Apri	1 fill event, Sampling #2
04/26/22	TB-124, Main Quarry Sump
	May fill event
05/06/22	TB-124, Main Quarry Sump

#### ANALYTICAL RESULTS

<u>Table 3</u> lists the analytical methods used by the laboratory for measured parameters. Analytical results were reviewed to identify any analytes that exceeded the Class I groundwater standards.

The analytical data for the well TB-124 and Main Quarry Sump samples collected on April 7 for the first sampling of the fill event in April 2022 are presented in <u>Table 4</u>. There were a few exceedances of the Class I groundwater standards, including pH and sulfate, as indicated in bold font in <u>Table 4</u>. Among these parameters, only pH showed a value higher than the background maximum. Fecal coliform bacteria were detected only in the Main Quarry Sump at 9 CFU/100 mL during this fill event sampling (<u>Table 4</u>).

The analytical data for the well TB-124 and Main Quarry Sump samples collected on April 26 for the second sampling of the fill event in April 2022 are presented in <u>Table 5</u>. There were a few exceedances of the Class I groundwater standards, including pH and sulfate, as indicated in bold font in <u>Table 5</u>. Among these parameters, only pH showed a value higher than the background maximum. Fecal coliform bacteria were not detected during this fill event sampling (<u>Table 5</u>).

The analytical data for the well TB-124 and Main Quarry Sump samples collected on May 6 for the fill event in May 2022 are presented in <u>Table 6</u>. There were a few exceedances of the Class I groundwater standards, including pH, TDS, and sulfate, as indicated in bold font in <u>Table 6</u>. Among these parameters, only pH showed a value higher than the background maximum. Fecal coliform bacteria were detected only in the Main Quarry Sump at 15 CFU/100 mL during this fill event sampling (Table 6).

TABLE 3: ANALYTICAL METHODS USED FOR REQUIRED PARAMETERS

Parameters	Analytical Method
Ammonia (as N)	USEPA 350.1
Boron and Target Analyte List metals except calcium, magnesium,	USEPA 200.8
and mercury	
Chloride, sulfate	USEPA 300.0
Fecal coliform	SM 9222D
Hardness (as calcium and magnesium)	SM 3120B, SM 2340B
Mercury	SM 3112B
Phenols	USEPA 420.4
Total dissolved solids	SM 2540C
Total organic carbon	SM 5310B

9

TABLE 4: ANALYSIS OF GROUNDWATER SAMPLED FROM MONITORING WELLS TB-118 THROUGH TB-124 AND THE MAIN QUARRY SUMP AT THE THORNTON COMPOSITE RESERVOIR SITE FOR THE FIRST SAMPLING OF THE FILL **EVENT IN APRIL 2022** 

		Part 620 Groundwater	Maximum					Well				
Parameter	Unit	Standard	Background	Lab RL <sup>1</sup>	TB-118	TB-119	TB-120	TB-121	TB-122	TB-123	TB-124	Sump
рН		6.5–9.0	8.4	$NL^2$	NC <sup>3</sup>	NC	NC	NC	NC	NC	12.1	9.3
EC	mS/m	NL	415	NL	NC	NC	NC	NC	NC	NC	119	63
TDS	mg/L	1,200	2,960	25	NC	NC	NC	NC	NC	NC	1,178	1,150
TOC	"	NL	1	5	NC	NC	NC	NC	NC	NC	17	< 5.0
Chloride	"	200	1,230	1	NC	NC	NC	NC	NC	NC	199	181
Sulfate	"	400	890	1	NC	NC	NC	NC	NC	NC	374	470
Ammonia as N	"	NL	$\mathrm{ND}^4$	0.3	NC	NC	NC	NC	NC	NC	1.59	< 0.30
Total Phenol	"	0.1	0.06	0.005	NC	NC	NC	NC	NC	NC	0.023	< 0.005
Fecal Coliform	CFU/100 mL	NL	<1	1	NC	NC	NC	NC	NC	NC	<1	9
Ag	mg/L	0.05	0.003	0.004	NC	NC	NC	NC	NC	NC	< 0.004	< 0.004
В	"	2	3.8	0.005	NC	NC	NC	NC	NC	NC	0.503	0.304
Ве	"	0.004	0.002	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Co	"	1	0.035	0.002	NC	NC	NC	NC	NC	NC	< 0.002	0.012
Cr	"	0.1	86.4	0.004	NC	NC	NC	NC	NC	NC	< 0.004	< 0.004
Cu	"	0.65	0.004	0.002	NC	NC	NC	NC	NC	NC	0.005	< 0.002
Mn	"	0.15	0.183	0.002	NC	NC	NC	NC	NC	NC	0.003	0.002
Se	"	0.05	0.008	0.004	NC	NC	NC	NC	NC	NC	< 0.004	< 0.004
V	"	0.049	ND	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Zn	"	5	10	0.01	NC	NC	NC	NC	NC	NC	3.56	< 0.010
Ca	"	NL	276	0.5	NC	NC	NC	NC	NC	NC	54.5	125
Mg	"	NL	153	0.5	NC	NC	NC	NC	NC	NC	< 0.50	93.5

<sup>&</sup>lt;sup>1</sup>Laboratory reporting limit.

<sup>&</sup>lt;sup>2</sup>No existing limit.

<sup>&</sup>lt;sup>3</sup>Sample could not be collected due to equipment malfunction. <sup>4</sup>Not determined.

TABLE 5: ANALYSIS OF GROUNDWATER SAMPLED FROM MONITORING WELLS TB-118 THROUGH TB-124 AND THE MAIN QUARRY SUMP AT THE THORNTON COMPOSITE RESERVOIR SITE FOR THE SECOND SAMPLING OF THE FILL **EVENT IN APRIL 2022** 

		Part 620 Groundwater	Maximum					Well				
Parameter	Unit	Standard	Background	Lab RL <sup>1</sup>	TB-118	TB-119	TB-120	TB-121	TB-122	TB-123	TB-124	Sump
рН		6.5–9.0	8.4	$NL^2$	NC <sup>3</sup>	NC	NC	NC	NC	NC	11.1	8.6
EC	mS/m	NL	415	NL	NC	NC	NC	NC	NC	NC	255	170
TDS	mg/L	1,200	2,960	25	NC	NC	NC	NC	NC	NC	1,152	1,172
TOC	"	NL	1	5	NC	NC	NC	NC	NC	NC	18	< 5.0
Chloride	"	200	1,230	1	NC	NC	NC	NC	NC	NC	198	192
Sulfate	"	400	890	1	NC	NC	NC	NC	NC	NC	369	446
Ammonia as N	"	NL	$\mathrm{ND}^4$	0.3	NC	NC	NC	NC	NC	NC	1.59	< 0.30
Total Phenol	"	0.1	0.06	0.005	NC	NC	NC	NC	NC	NC	0.022	< 0.005
Fecal Coliform	CFU/100 mL	NL	<1	1	NC	NC	NC	NC	NC	NC	<1	<1
Ag	mg/L	0.05	0.003	0.004	NC	NC	NC	NC	NC	NC	< 0.004	< 0.004
В	"	2	3.8	0.005	NC	NC	NC	NC	NC	NC	0.532	0.338
Be	"	0.004	0.002	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Co	"	1	0.035	0.002	NC	NC	NC	NC	NC	NC	< 0.002	0.011
Cr	"	0.1	86.4	0.004	NC	NC	NC	NC	NC	NC	< 0.004	< 0.004
Cu	"	0.65	0.004	0.002	NC	NC	NC	NC	NC	NC	0.005	< 0.002
Mn	"	0.15	0.183	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Se	"	0.05	0.008	0.004	NC	NC	NC	NC	NC	NC	0.014	< 0.004
V	"	0.049	ND	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Zn	"	5	10	0.01	NC	NC	NC	NC	NC	NC	0.97	< 0.010
Ca	"	NL	276	0.5	NC	NC	NC	NC	NC	NC	50.7	131
Mg	"	NL	153	0.5	NC	NC	NC	NC	NC	NC	< 0.50	103

<sup>&</sup>lt;sup>1</sup>Laboratory reporting limit.

<sup>&</sup>lt;sup>2</sup>No existing limit.

<sup>&</sup>lt;sup>3</sup>Sample could not be collected due to equipment malfunction. <sup>4</sup>Not determined.

TABLE 6: ANALYSIS OF GROUNDWATER SAMPLED FROM MONITORING WELLS TB-118 THROUGH TB-124 AND THE MAIN QUARRY SUMP AT THE THORNTON COMPOSITE RESERVOIR SITE FOR THE FILL EVENT SAMPLING IN MAY 2022

		Part 620 Groundwater	Maximum					Well				
Parameter	Unit	Standard	Background	Lab RL <sup>1</sup>	TB-118	TB-119	TB-120	TB-121	TB-122	TB-123	TB-124	Sump
рН		6.5–9.0	8.4	$NL^2$	NC <sup>3</sup>	NC	NC	NC	NC	NC	11.7	8.5
EC	mS/m	NL	415	NL	NC	NC	NC	NC	NC	NC	218	182
TDS	mg/L	1,200	2,960	25	NC	NC	NC	NC	NC	NC	1,160	1,232
TOC	"	NL	1	5	NC	NC	NC	NC	NC	NC	18	< 5.0
Chloride	"	200	1,230	1	NC	NC	NC	NC	NC	NC	193	192
Sulfate	"	400	890	1	NC	NC	NC	NC	NC	NC	355	467
Ammonia as N	"	NL	$\mathrm{ND}^4$	0.3	NC	NC	NC	NC	NC	NC	1.62	< 0.30
Total Phenol	"	0.1	0.06	0.005	NC	NC	NC	NC	NC	NC	0.022	< 0.005
Fecal Coliform	CFU/100 mL	NL	<1	1	NC	NC	NC	NC	NC	NC	<1	15
Ag	mg/L	0.05	0.003	0.004	NC	NC	NC	NC	NC	NC	< 0.004	< 0.004
В	"	2	3.8	0.005	NC	NC	NC	NC	NC	NC	0.549	0.343
Be	"	0.004	0.002	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Co	"	1	0.035	0.002	NC	NC	NC	NC	NC	NC	< 0.002	0.011
Cr	"	0.1	86.4	0.004	NC	NC	NC	NC	NC	NC	< 0.004	< 0.004
Cu	"	0.65	0.004	0.002	NC	NC	NC	NC	NC	NC	0.005	< 0.002
Mn	"	0.15	0.183	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Se	"	0.05	0.008	0.004	NC	NC	NC	NC	NC	NC	0.004	< 0.004
V	"	0.049	ND	0.002	NC	NC	NC	NC	NC	NC	< 0.002	< 0.002
Zn	"	5	10	0.01	NC	NC	NC	NC	NC	NC	1.31	< 0.010
Ca	"	NL	276	0.5	NC	NC	NC	NC	NC	NC	52.8	121
Mg	"	NL	153	0.5	NC	NC	NC	NC	NC	NC	< 0.50	97.0

<sup>&</sup>lt;sup>1</sup>Laboratory reporting limit.

<sup>&</sup>lt;sup>2</sup>No existing limit.

<sup>&</sup>lt;sup>3</sup>Sample could not be collected due to equipment malfunction. <sup>4</sup>Not determined.

#### REFERENCES

- Black & Veatch, 2014, "Background Groundwater Quality Report for Thornton Composite Reservoir," prepared for the Metropolitan Water Reclamation District of Greater Chicago, July 2014.
- Black & Veatch, 2016, "Revised Groundwater Monitoring Plan, Groundwater Protection System for Thornton Composite Reservoir," prepared for the Metropolitan Water Reclamation District of Greater Chicago, May 2016.
- Illinois Environmental Protection Agency, 2012, 35 Illinois Administrative Code Part 620 Class I Groundwater Standards, 2012.
- Illinois Pollution Control Board, 2013, Illinois Administrative Code Title 35: Environmental Protection, Subtitle F: Potable Water Supplies, Chapter I: Pollution Control Board, Part 620 Groundwater Quality, October 7, 2013.