

CAL SMA LAGOON STORAGE - AUGUST 31, 2016

Lagoon	Total Capacity		Empty Lagoon Depth @ DOB (feet)	Avg. Storage per foot (mil Gal)	Present Storage Depth @ DOB (feet)	Storage Depth Remaining @ DOB (feet)	Used Storage Volume* (mil Gal)	Storage Volume Remaining (mil Gal)	Present Lagoon Input Dry Tons
	(Cu. Yd)	(mil Gal)							
1	105,000	21.3	16.7	1.275	14.00	2.7	17.9	3.4	2,599
2	110,000	22.3	17.0	1.312	0.80	16.2	1.0	21.3	855
3	101,000	20.3	18.3	1.109	12.60	5.7	14.0	6.3	5,006
4	101,000	20.5	18.5	1.108	14.60	3.9	16.2	4.3	4,559
5	120,000	24.2	15.3	1.582	0.00	15.3	0.0	24.2	0
6	138,000	27.8	16.8	1.655	3.80	13.0	6.3	21.5	3,616
7	183,000	37.0	17.3	2.139	1.80	15.5	3.8	33.2	6,100
8	250,000	50.4	16.0	3.150	12.20	3.8	38.4	12.0	13,894
14	133,000	26.8	19.0	1.411	9.70	9.3	13.7	13.1	6,348
15	121,000	24.5	19.8	1.237	0.00	19.8	0.0	24.5	0
17	204,000	41.3	19.3	2.140	16.20	3.1	34.7	6.6	5,899
18	210,000	42.4	19.9	2.131	14.30	5.6	30.5	11.9	5,630
19	199,000	40.2	19.9	2.020	0.00	19.9	0.0	40.2	237
Total	1,976,000	399					176.4	223	54,743

* Used storage volume for CALSMA lagoons is based on the depth measurement at the DOB,
Used storage volume=Depth remaining*Avg. storage per foot.

Approximate number of days for emergency low-solids capacity @ 3%TS: 327 days

Approximate number of days for emergency low-solids capacity @ 6%TS: 655 days

Approximate number of days for emergency low-solids capacity @ 9%TS: 982 days

Average daily digester discharge 2007 to 2014 = 0.68mgd