

Metropolitan Water Reclamation District of Greater Chicago

RESEARCH AND DEVELOPMENT DEPARTMENT

REPORT NO. 06-24

EGAN SLUDGE DRYING AREA

FIRST QUARTER 2006

MAY 2006





BOARD OF COMMISSIONERS Terrence J. O'Brien *President* Kathleen Therese Meany *Vice President* Gloria Alitto Majewski *Chairman Of Finance* Frank Avila James C. Harris Barbara J. McGowan Cynthia M. Santos Patricia Young Harry "Bus" Yourell

Metropolitan Water Reclamation District of Greater Chicago100 EAST ERIE STREETCHICAGO, ILLINOIS 60611-3154312.751.5600

Richard Lanyon Director of Research & Development

312 .751.5190

May 15, 2006

Mr. S. Alan Keller Manager, Permit Section Illinois Environmental Protection Agency 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

Dear Mr. Keller:

Subject: John E. Egan WRP – Solids Drying Facility Contract No. 83-444-2P, C175399, IEPA Permit Nos. 2005-AO-4282, 2002-AO-0387, and 2002-AO-0387-1, Monitoring Report for January, February, and March 2006

Supplemental Permit 2002-AO-0387-1 was issued on June 12, 2003. It granted the discontinuation of monitoring the groundwater using lysimeters on the north and south periphery of the solids drying site of the John E. Egan WRP solids drying facility, as previously required under Special Condition 1(3) of the original permit. Consequently, no groundwater monitoring samples were collected during this reporting period.

No biosolids were placed in or removed from the drying facility in January, February, and March 2006.

Very truly yours,

Richard Lanyon Director Research and Development

RL:AC:spy

cc: Sulski (IEPA) Records Unit (IEPA) Garelli/Sharma/Kollias Granato/O'Connor Cox/Lindo/Patel