

Metropolitan Water Reclamation District of Greater Chicago

RESEARCH AND DEVELOPMENT DEPARTMENT

REPORT NO. 06-35

MONTHLY REPORT OF THE FULTON COUNTY

ENVIRONMENTAL PROTECTION SYSTEM

MARCH 2006

JUNE 2006





BOARD OF COMMISSIONERS Terrence J. O'Brien *President* Kathleen Therese Meany *Vice President* Gloria Alitto Majewski *Chairman Of Finance* Frank Avila James C. Harris Barbara J. McGowan Cynthia M. Santos Patricia Young Harry "Bus" Yourell

Metropolitan Water Reclamation District of Greater Chicago

100 EAST ERIE STREET

CHICAGO, ILLINOIS 60611-3154

Richard Lanyon Director of Research & Development

312 .751.5190

June 9, 2006

312.751.5600

Mr. S. Alan Keller, P.E. Manager, Permit Section Illinois Environmental Protection Agency P.O. Box 19276 Springfield, IL 62794-9276

Dear Mr. Keller:

Attached for your information and use is the March 2006 monthly report of the Fulton County Environmental Protection System.

Very truly yours,

Louis Kollias Acting Director Research and Development

RL:GT:spy Attachment cc w/enc.:

Mr. Valdis Aistars, USEPA Region V Mr. Ash Sajjad, USEPA Region V Mr. Matthew Williams, USEPA Region V IEPA Permit Section, Springfield IEPA Surveillance Section, Peoria Chairman of the Fulton County Board Fulton County Board of Health Fulton County Zoning Office

cc via MWRDGC web site:

Drs.: Granato O'Connor Cox Lindo Tian Messrs.: Levy Sobanski Quintanilla Ryzak Dennison

Library

Metropolitan Water Reclamation District of Greater Chicago100 East Erie StreetChicago, IL 60611-2803(312) 751-5600

ENVIRONMENTAL PROTECTION SYSTEM

REPORT FOR FULTON COUNTY, ILLINOIS

MARCH 2006

Research and Development Department G. Tian A. Cox

June 2006

TABLE OF CONTENTS

| FOREWORD | ii |
|---|-----|
| LIST OF TABLES | iii |
| LIST OF FIGURES | iv |
| ACKNOWLEDGMENT | V |
| DISCLAIMER | v |
| DEWATERED BIOSOLIDS REPORT | 1 |
| WATER ANALYSIS REPORT | 2 |
| CLIMATOLOGICAL OBSERVATIONS | 6 |
| RECLAMATION OF COAL REFUSE PILES WITH BIOSOLIDS | 8 |

FOREWORD

The data and information in this report fulfill the frequency of monitoring and the reporting requirements for the Land Application of Biosolids at the Fulton County Land Reclamation Project as specified in the Illinois Environmental Protection Agency Permit No. 2005-SC-5073 for March 2006.

LIST OF TABLES

| Table No. | - | Page |
|--------------|---|------|
| 1 | Fulton County Land Reclamation Project Well Data March 2006 | 5 |
| 2 | Record of Climatological Observations for March 2006, Fulton County, Illinois, Station SEQ, Sec. 10, R3E, T6N | 7 |

LIST OF FIGURES

| Figure No. | _ | Page |
|---------------|---|------|
| 1 | Farm Fields and Runoff Basins at the Land Reclamation Project at Ful- ton County, Illinois | 3 |
| 2 | Water Monitoring Locations at the Land Reclamation Project at Fulton County, Illinois | 4 |
| 3 | St. David Coal Refuse Pile Reclamation Site | 9 |

ACKNOWLEDGMENT

Thanks are due to the staff of the Analytical Laboratories Division for assistance in conducting analyses and Ms. Sabina Yarn for typing this report.

DISCLAIMER

Mention of proprietary equipment and chemicals in this report does not constitute endorsement by the Metropolitan Water Reclamation District of Greater Chicago.

Metropolitan Water Reclamation District of Greater Chicago100 East Erie StreetChicago, IL 60611-2803(312) 751-5600

FULTON COUNTY

DEWATERED BIOSOLIDS REPORT

March 2006

DEWATERED BIOSOLIDS REPORT

No dewatered biosolids were applied to fields during the month of March 2006. In addition, no supernatant was available for application to fields during this month. The last supernatant application was made in 1995, and the last biosolids application was made in 2004.

Metropolitan Water Reclamation District of Greater Chicago100 East Erie StreetChicago, IL 60611-2803(312) 751-5600

FULTON COUNTY

WATER ANALYSIS REPORT

March 2006

WATER ANALYSIS REPORT

There was no water release and sampling in retention basins during this month. A site plan of farm field and retention basin locations is attached in <u>Figure 1</u>.

The surface water sites (streams, reservoirs, and SP sites) were also not sampled during the month. The wells were sampled during the month. A site plan of water monitoring locations is attached in <u>Figure 2</u>. Analytical data of water samples from the wells are presented in <u>Table 1</u>.

FIGURE 1

FARM FIELDS AND RUNOFF BASINS AT THE LAND RECLAMATION PROJECT AT FULTON COUNTY, ILLINOIS




FIGURE 2

WATER MONITORING LOCATIONS AT THE LAND RECLAMATION PROJECT AT FULTON COUNTY, ILLINOIS




TABLE 1

| Well Number | Sample Date | NH ₃ -N | NO ₂ -N | NO ₃ -N | Cd | Cu | Hg |
|----------------|----------------|--------------------|--------------------|--------------------|--------|-------|------|
| | | | | mg/L | | | μg/L |
| W 6 | 3/14 | 0.61 | 0.000 | 0.145 | 0.0000 | 0.004 | 0.00 |
| W 7 | 3/14 | 1.37 | 0.000 | 0.156 | 0.0000 | 0.000 | 0.00 |
| W 8 | 3/14 | 0.84 | 0.000 | 0.179 | 0.0000 | 0.000 | 0.00 |
| W 9 | 3/14 | 2.53 | 0.000 | 0.297 | 0.0022 | 0.000 | 0.00 |
| W10 | 3/14 | 0.66 | 0.000 | 0.092 | 0.0000 | 0.004 | 0.00 |
| W12 | 3/14 | 0.46 | 0.000 | 0.314 | 0.0000 | 0.000 | 0.00 |
| W14 | 3/14 | 0.57 | 0.000 | 0.275 | 0.0000 | 0.003 | 0.00 |
| W15 | 3/14 | 0.60 | 0.000 | 0.123 | 0.0000 | 0.012 | 0.00 |
| W16 | 3/14 | 0.08 | 0.000 | 0.271 | 0.0000 | 0.026 | 0.00 |
| W17 | 3/14 | 0.09 | 0.000 | 5.18 | 0.0000 | 0.008 | 0.00 |
| W18 | 3/14 | 0.41 | 0.000 | 0.090 | 0.0000 | 0.007 | 0.00 |
| W19 | 3/14 | 1.03 | 0.000 | 0.137 | 0.0000 | 0.004 | 0.00 |
| W21 | 3/14 | 1.51 | 0.000 | 0.000 | 0.0000 | 0.000 | 0.00 |
| W22 | 3/14 | 1.66 | 0.000 | 1.20 | 0.0000 | 0.000 | 0.00 |
| W23 | 3/14 | 0.07 | 0.000 | 1.03 | 0.0000 | 0.003 | 0.00 |
| W24 | 3/14 | 0.33 | 0.000 | 1.10 | 0.0000 | 0.021 | 0.00 |
| W25 | 3/14 | 0.07 | 0.000 | 0.000 | 0.0000 | 0.007 | 0.00 |
| W26 | 3/14 | 1.53 | 0.000 | 0.000 | 0.0000 | 0.004 | 0.00 |
| W28 | 3/14 | 0.14 | 0.000 | 0.000 | 0.0000 | 0.021 | 0.00 |
| W29 | 3/14 | 0.91 | 0.290 | 0.778 | 0.0000 | 0.005 | 0.00 |
| MDL* | | 0.02 | 0.150 | 0.005 | 0.0004 | 0.003 | 0.05 |

FULTON COUNTY LAND RECLAMATION PROJECT WELL DATA MARCH 2006

*MDL = Method detection limit of laboratory; values less than these are reported as zeros.

| Metropolitan Water | r Reclamation District of G | reater Chicago 🛛 🗕 🗕 | |
|------------------------|--|----------------------|--|
| 100 East Erie Street | r Reclamation District of G Chicago, IL 60611-2803 | (312) 751-5600 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | FULTON COUNTY | | |
| CLIMA | ATOLOGICAL OBSERVATI | IONS | |
| | March 2006 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

CLIMATOLOGICAL OBSERVATIONS

The daily climatological observations for March 2006 are summarized in <u>Table 2</u>. The total precipitation recorded for the month was 3.57 inches.

TABLE 2

RECORD OF CLIMATOLOGICAL OBSERVATIONS FOR MARCH 2006, FULTON COUNTY, ILLINOIS, STATION SEQ, SEC.10, R3E, T6N

| | Г | Temperatur | e | Preci | oitation | | Wind | |
|---------|------|------------|------|-----------------------|-------------------|------------|----------|-----|
| | | °C | | rain, melted snow | snow, sleet, hail | m/S | m/S | |
| Date | Max | Min | Avg | (inches & hundredths) | (inches & tenths) | Avg | Max | Dir |
| 1 | 18.2 | 0.9 | 8.3 | 0.00 | | 3.2 | 8.0 | NE |
| 2 | 7.7 | 0.8 | 3.0 | 0.00 | | 4.9 | 15.6 | W |
| 3 | 10.7 | -4.8 | 1.7 | 0.00 | | 2.1 | 7.2 | NW |
| 4 | 7.8 | -6.1 | 0.3 | 0.00 | | 1.2 | 4.9 | NE |
| 5 | 2.7 | -1.3 | 1.0 | 0.42 | | 1.2 | 7.2 | Е |
| 6 | 7.1 | 0.1 | 2.2 | 0.00 | | 3.1 | 13.0 | W |
| 7 | 9.3 | -3.4 | 3.4 | 0.43 | | 4.2 | 12.5 | Е |
| 8 | 14.1 | 4.7 | 8.4 | 0.26 | | 3.8 | 12.1 | SE |
| 9 | 14.5 | 4.0 | 9.2 | 0.27 | | 2.9 | 8.9 | SE |
| 10 | 16.2 | 0.3 | 9.0 | 0.00 | | 3.1 | 9.4 | Е |
| 11 | 24.2 | 7.8 | 14.5 | 0.18 | | 3.9 | 14.8 | NE |
| 12 | 18.5 | 4.4 | 11.6 | 0.51 | | 3.7 | 25.5 | NE |
| 13 | 16.9 | -1.9 | 7.8 | 0.83 | | 8.1 | 28.2 | SW |
| 14 | 8.9 | -4.2 | 1.7 | 0.00 | | 5.2 | 15.2 | SW |
| 15 | 12.3 | -4.3 | 4.0 | 0.00 | | 2.2 | 7.6 | NE |
| 16 | 17.7 | 1.3 | 6.3 | 0.04 | | 4.5 | 11.6 | Ν |
| 17 | 10.6 | -1.7 | 3.3 | 0.00 | | 2.8 | 8.9 | Ν |
| 18 | 10.7 | -4.7 | 3.0 | 0.00 | | 1.7 | 7.6 | Ν |
| 19 | 10.9 | -4.3 | 3.9 | 0.00 | | 2.1 | 7.6 | NE |
| 20 | 5.0 | -0.6 | 2.9 | 0.00 | | 6.3 | 13.9 | NE |
| 21 | 4.8 | -6.7 | -1.0 | 0.09 | | 4.3 | 13.9 | NE |
| 22 | 6.1 | -8.3 | -0.4 | 0.00 | | 3.1 | 9.8 | W |
| 23 | 9.8 | -3.7 | 2.4 | 0.00 | | 2.9 | 9.4 | W |
| 24 | 7.7 | -0.3 | 2.3 | 0.00 | | 2.7 | 10.3 | NW |
| 25 | 8.8 | -1.9 | 3.3 | 0.00 | | 2.1 | 10.3 | NW |
| 26 | 14.7 | -2.7 | 5.8 | 0.00 | | 1.6 | 6.7 | Е |
| 27 | 7.2 | 1.9 | 4.1 | 0.31 | | 4.7 | 14.8 | Е |
| 28 | 8.3 | 3.5 | 5.5 | 0.00 | | 2.3 | 8.9 | SW |
| 29 | 14.2 | 4.4 | 7.5 | 0.00 | | 2.4 | 8.5 | Е |
| 30 | 21.7 | 4.0 | 13.5 | 0.16 | | 5.9 | 21.9 | SE |
| 31 | 19.4 | 9.3 | 13.8 | 0.07 | | 8.1 | 23.7 | SW |
| Sum | | | | 3.57 | 0.0 | Observer: | Josh DeW | ees |
| Avg | 11.8 | -0.4 | 5.2 | | | Station: R | &D Lab | |
| Extreme | 24.2 | -8.3 | | 0.83 | 0.0 | | | |

| Metropolitan Water | Reclamation | n District of | ^r Greater Chicago |
|----------------------|-------------|---------------|------------------------------|
| 100 East Erie Street | Chicago, IL | 60611-2803 | (312) 751-5600 |

FULTON COUNTY

RECLAMATION OF COAL REFUSE PILES WITH BIOSOLIDS

March 2006

RECLAMATION OF COAL REFUSE PILES WITH BIOSOLIDS

Lysimeters and drainage tiles at the St. David coal refuse pile reclamation site were not sampled during the month. Locations for all lysimeters and drainage tile sampling sites are shown in Figure 3.

Lysimeters at the Big Ten (Morgan Mine) and the United Electric coal refuse pile sites were also not sampled during the month.

.



FIGURE 3

ST. DAVID COAL REFUSE PILE RECLAMATION SITE




TABLE 2

| | Lysimeter Designation | | | | | | |
|-------------------------------------|-----------------------|---------|---|---|---|--|--|
| Constituent | Units | 1 | 2 | 3 | 4 | | |
| pН | | 7.8 | | | | | |
| E.C. | mS/m | 430 | i | İ | | | |
| Acidity* | mg/L | 17 | ĺ | ĺ | ĺ | | |
| Alkalinity* | " | 271 | ĺ | ĺ | ĺ | | |
| Total P | " | 0.13 | | | | | |
| | | | L | L | L | | |
| | | | Y | Y | Y | | |
| Cl | " | 14 | S | S | S | | |
| $SO_4^{=}$ | " | 2,765 | Ι | Ι | Ι | | |
| NH ₃ -N | " | < 0.02 | Μ | М | М | | |
| NO ₂ +NO ₃ -N | " | 35.9 | Е | E | Е | | |
| Al | " | 0.06 | Т | Т | Т | | |
| | | | Е | Е | Е | | |
| | | | R | R | R | | |
| Cd | " | 0.0610 | | | | | |
| Cr | " | 0.003 | D | D | D | | |
| Cu | " | 0.007 | R | R | R | | |
| Fe | " | 0.138 | Y | Y | Y | | |
| Mn | " | 0.111 | | | | | |
| | | | | | | | |
| | | | | | | | |
| Ni | " | 0.054 | | | | | |
| Pb | " | < 0.003 | | | | | |
| Zn | " | 7.38 | | | | | |

TABLE 2 (Continued)

| | Lysimeter Designation | | | | | | |
|-------------------------------------|-----------------------|-----|---|---|---|--|--|
| Constituent | Units | 5 | 6 | 7 | 8 | | |
| | | 1 | 1 | 1 | I | | |
| pH | ··· C /··· | | | | | | |
| E.C. | mS/m | | | | | | |
| Acidity* | mg/L " | l . | | | | | |
| Alkalinity* | | | | | | | |
| Total P | " | | | | | | |
| | | L | L | L | L | | |
| | | Y | Y | Y | Y | | |
| Cl | " | S | S | S | S | | |
| $SO_4^{=}$ | " | Ι | Ι | Ι | Ι | | |
| NH ₃ -N | " | Μ | М | М | М | | |
| NO ₂ +NO ₃ -N | " | Е | Е | E | Е | | |
| Al | " | Т | Т | Т | Т | | |
| | | Е | Е | Е | Е | | |
| | | R | R | R | R | | |
| Cd | " | | | | | | |
| Cr | " | D | D | D | D | | |
| Cu | " | R | R | R | R | | |
| Fe | " | Y | Y | Y | Y | | |
| Mn | " | • | • | - | - | | |
| 1,111 | | 1 | I | I | I | | |
| | | 1 | | | | | |
| Ni | " | | | | | | |
| | " | 1 | | | | | |
| Pb | | I | | | | | |
| Zn | " | | | | | | |

TABLE 2 (Continued)

| | Lysimeter Designation | | | | | | |
|-------------------------------------|-----------------------|---|----|---------|---|--|--|
| Constituent | Units | 9 | 10 | A | В | | |
| рН | | | | 6.5 | | | |
| E.C. | mS/m | | ĺ | 280 | | | |
| Acidity* | mg/L | | | 26 | | | |
| Alkalinity* | " | | | 41 | | | |
| Total P | " | | | 0.27 | | | |
| | | L | L | | L | | |
| | | Y | Y | | Y | | |
| Cl | " | S | S | 14 | S | | |
| $\mathrm{SO_4}^=$ | " | Ι | Ι | 2,120 | Ι | | |
| NH ₃ -N | " | М | М | 1.12 | М | | |
| NO ₂ +NO ₃ -N | " | Е | Е | 1.28 | Е | | |
| Al | " | Т | Т | 0.57 | Т | | |
| | | Е | Е | | Е | | |
| | | R | R | | R | | |
| Cd | " | | | 0.0039 | | | |
| Cr | " | D | D | 0.008 | D | | |
| Cu | " | R | R | 0.007 | R | | |
| Fe | " | Y | Y | 13.0 | Y | | |
| Mn | " | | | 2.01 | | | |
| | | | I | | | | |
| Ni | " | | | 0.027 | | | |
| Pb | " | | | < 0.003 | | | |
| Zn | " | | | 0.877 | | | |

TABLE 2 (Continued)

| | | | Lysimeter Designation | | | | | |
|-------------------------------------|-------|---|-----------------------|---|---|--|--|--|
| Constituent | Units | С | D | Е | F | | | |
| рН | | | 2.3 | | | | | |
| E.C. | mS/m | | 100 | | | | | |
| Acidity* | mg/L | | 25,000 | | | | | |
| Alkalinity* | " | | <1 | | | | | |
| Total P | " | I | 1.51 | I | I | | | |
| | | L | | L | L | | | |
| | | Y | | Y | Y | | | |
| Cl | " | S | < 0.3 | S | S | | | |
| $SO_4^{=}$ | " | Ι | 1,361 | Ι | Ι | | | |
| NH ₃ -N | " | М | 0.30 | М | М | | | |
| NO ₂ +NO ₃ -N | " | Е | 0.68 | Е | E | | | |
| Al | " | Т | 420 | Т | Т | | | |
| | | Е | | Е | E | | | |
| | | R | | R | R | | | |
| Cd | " | | 2.92 | | | | | |
| Cr | " | D | 3.17 | D | D | | | |
| Cu | " | R | 2.52 | R | R | | | |
| Fe | " | Y | 3,843 | Y | Y | | | |
| Mn | " | | 35.0 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Ni | " | | 3.22 | | | | | |
| Pb | " | | < 0.003 | | | | | |
| Zn | " | | 181 | | | | | |

TABLE 2 (Continued)

ANALYSIS OF WATER FROM LYSIMETERS ON THE RECLAIMED ST. DAVID COAL REFUSE PILE SITE SAMPLED ON FEBRUARY 22, 2006

| | | | Lysimeter Designation | 1 |
|-------------------------------------|-------|--------|-----------------------|---------|
| Constituent | Units | G | Н | Ι |
| pН | | | 7.7 | 7.3 |
| E.C. | mS/m | | 260 | 340 |
| Acidity* | mg/L | | <4 | 44 |
| Alkalinity* | " | | 272 | 356 |
| Total P | " | | 0.29 | 0.18 |
| | | L Y | | |
| Cl- | " | S | 14 | 13 |
| $SO_4^{=}$ | " | Ι | 1,613 | 2,239 |
| NH3-N | " | М | < 0.02 | 2.34 |
| NO ₂ +NO ₃ -N | " | Е | 0.71 | 2.03 |
| Al | " | Т | 0.37 | 0.07 |
| | | Е | | |
| | | R | | |
| Cd | " | | < 0.0002 | 0.0067 |
| Cr | " | D | 0.006 | 0.006 |
| Cu | " | R | 0.018 | 0.010 |
| Fe | " | Y | 3.41 | 19.6 |
| Mn | " | | 0.727 | 9.69 |
| | | | | |
| Ni | " | | 0.007 | 0.123 |
| Pb | " | 1 | < 0.003 | < 0.003 |
| Zn | " | 1 | 0.130 | 1.11 |

*As calcium carbonate.

TABLE 3

FULTON COUNTY LAND RECLAMATION PROJECT ST. DAVID COAL REFUSE PILE SITE DRAINAGE TILE WATER ANALYSIS FOR FEBRUARY 2006

| | | | Tile Drain | |
|-----------------|-------|------|------------|------|
| | | D1 | D2 | D3 |
| Constituent | Units | 2/22 | 2/22 | 2/22 |
| рН | | Ν | Ν | 6.7 |
| - | | Ο | 0 | |
| Total Suspended | mg/L | F | F | 70.0 |
| Solids | | L | L | |
| | | 0 | О | |
| Total Fe | mg/L | W | W | NS |

NS = No Sample. Inadvertently, an aliquot of the sample was not reserved for analysis.

TABLE 4

ANALYSIS OF WATER FROM LYSIMETERS ON THE RECLAIMED MORGAN MINE COAL REFUSE PILE SITE SAMPLED ON FEBRUARY 22, 2006

| | | Lysimeter Designation | | | |
|-------------------------------------|-------|-----------------------|----------|---|--|
| Constituent | Units | 1 | 2 | 3 | |
| | | | | | |
| pН | | 7.3 | 7.4 | | |
| E.C. | mS/m | 310 | 350 | | |
| Acidity* | mg/L | 26 | 31 | | |
| Alkalinity* | " | 160 | 302 | | |
| Total P | " | 0.15 | 0.15 | | |
| | | | | L | |
| | | | | Y | |
| Cl | " | 20 | 31 | S | |
| $SO_4^{=}$ | " | 2,237 | 2,337 | Ι | |
| NH ₃ -N | " | 0.27 | 0.12 | Μ | |
| NO ₂ +NO ₃ -N | " | 0.16 | 2.34 | Е | |
| Al | " | 0.64 | 0.09 | Т | |
| | | | | Е | |
| | | | | R | |
| Cd | " | 0.0021 | < 0.0002 | | |
| Cr | " | 0.004 | 0.003 | D | |
| Cu | " | 0.004 | 0.004 | R | |
| Fe | " | 1.99 | 1.78 | Y | |
| Mn | " | 2.83 | 0.51 | | |
| | | | | | |
| | | | | | |
| Ni | " | 0.097 | 0.011 | | |
| Pb | " | < 0.003 | < 0.003 | | |
| Zn | " | 0.836 | 0.102 | | |
| | | | | I | |

*As calcium carbonate.

TABLE 5

| Constituent | | | Lysimeter Designation | | | | | |
|-------------------------------------|-------|--------|-----------------------|---------|---------|----------|--|--|
| | Units | 6 | 7 | 8 | 9 | 10 | | |
| рН | | | 7.7 | 7.5 | 7.6 | 7.6 | | |
| E.C. | mS/m | ĺ | 330 | 280 | 400 | 330 | | |
| Acidity* | mg/L | Í | 22 | 12 | 29 | 28 | | |
| Alkalinity* | " | Í | 241 | 118 | 309 | 315 | | |
| Total P | " | | 0.22 | 0.20 | 0.18 | 0.15 | | |
| | | L Y | | | | | | |
| Cl | " | S | 1 | 25 | 34 | 25 | | |
| $SO_4^{=}$ | " | Ι | 1,908 | 2,039 | 2,501 | 2,252 | | |
| NH ₃ -N | " | М | < 0.02 | 0.08 | < 0.02 | < 0.02 | | |
| NO ₂ +NO ₃ -N | " | Е | 56.7 | 12.5 | 50.8 | 4.19 | | |
| Al | " | Т | < 0.05 | 0.11 | < 0.05 | < 0.05 | | |
| | | E R | | | | | | |
| Cd | " | | 0.0069 | 0.0224 | 0.0004 | < 0.0002 | | |
| Cr | " | D | 0.003 | 0.004 | 0.003 | 0.004 | | |
| Cu | " | R | 0.032 | 0.053 | 0.026 | 0.019 | | |
| Fe | " | Y | 0.100 | 0.084 | 0.117 | 0.135 | | |
| Mn | " | | 0.027 | 0.197 | 0.055 | 0.513 | | |
| | | | | | | | | |
| Ni | " | İ | 0.022 | 0.090 | 0.039 | 0.023 | | |
| Pb | " | , I | < 0.003 | < 0.003 | < 0.003 | < 0.003 | | |
| Zn | " | İ | 0.261 | 1.95 | 0.443 | 0.268 | | |

TABLE 5 (Continued)

ANALYSIS OF WATER FROM LYSIMETERS ON THE RECLAIMED UNITED ELECTRIC COAL REFUSE PILE SITE SAMPLED ON FEBRUARY 22, 2006

| | | | - | meter Designa | | |
|-------------------------------------|-------|---|----------|---------------|----------|----|
| Constituent | Units | 6 | 7 | 8 | 9 | 10 |
| pН | | | 7.9 | 7.6 | 7.7 | |
| E.C. | mS/m | | 310 | 550 | 470 | İ |
| Acidity* | mg/L | | 16 | 52 | 52 | İ |
| Alkalinity* | " | | 288 | 805 | 423 | İ |
| Total P | " | | 0.26 | 0.15 | 0.14 | |
| | | L | | | | L |
| | | Y | | | | Y |
| Cl | " | S | 18 | 94 | 80 | S |
| $SO_4^{=}$ | " | Ι | 2,078 | 2,913 | 2,831 | Ι |
| NH3-N | " | М | 1.58 | 14.2 | < 0.02 | М |
| NO ₂ +NO ₃ -N | " | Е | 21.7 | 2.75 | 7.75 | Ε |
| Al | " | Т | < 0.05 | < 0.05 | < 0.05 | Т |
| | | Е | | | | Е |
| | | R | | | | R |
| Cd | " | | < 0.0002 | < 0.0002 | < 0.0002 | |
| Cr | " | D | 0.005 | 0.005 | 0.003 | D |
| Cu | " | R | 0.023 | 0.007 | 0.006 | R |
| Fe | " | Y | 0.222 | 3.35 | 0.160 | Y |
| Mn | | | 0.332 | 7.19 | 0.506 | |
| | | | | | | |
| | | | | | | |
| Ni | " | | 0.010 | 0.042 | 0.015 | |
| Pb | " | | < 0.003 | < 0.003 | < 0.003 | |
| Zn | " | | 0.034 | 0.031 | 0.072 | |

*As calcium carbonate.