

Metropolitan Water Reclamation District of Greater Chicago

MONITORING AND RESEARCH DEPARTMENT

REPORT NO. 11-2

MONTHLY CONTROLLED SOLIDS

DISTRIBUTION REPORT

SEPTEMBER 2010

JANUARY 2011



BOARD OF COMMISSIONERS Terrence J. O'Brien President Barbara J. McGowan Vice President Cynthia M. Santos Chairman of Finance Michael A. Alvarez Frank Avila Patricia Horton Kathleen Therese Meany Debra Shore Mariyana T. Spyropoulos

Metropolitan Water Reclamation District of Greater Chicago

100 East Erie Street Chicago, Illinois 60611-3154

f: 312.751.5194 312.751.5190

Thomas C. Granato, Ph.D. Acting Director of Monitoring and Research thomas.granato@mwrd.org

January 11, 2011

Mr. S. Alan Keller, P.E. Manager, Permit Section Illinois Environmental Protection Agency 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

Dear Mr. Keller:

Subject: Metropolitan Water Reclamation District of Greater Chicago – Controlled Solids Distribution Program Illinois Environmental Protection Agency Permit No. 2010-SC-0200, September 2010

This letter transmits information and data for the Metropolitan Water Reclamation District of Greater Chicago - Controlled Solids Distribution Program for September 2010, as required by Illinois Environmental Protection Agency Permit No. 2010-SC-0200.

Sludge flow schematic diagrams for solids processed during September 2010 are shown in <u>Figure 1</u> - John E. Egan Water Reclamation Plant (WRP), <u>Figure 2</u> - Calumet WRP, and <u>Figure 3</u> - Stickney WRP.


Biosolids were distributed to ten sites in September. The user information report for those sites is presented in <u>Table 1</u>, and the analyses of the composited biosolids delivered to those sites are presented in <u>Table 2</u>.

Very truly yours,


Thomas C. Granato Acting Director Monitoring and Research

TCG:OO:kq Attachments cc: Aistars (USEPA) Sulski (IEPA) Kits O'Connor J.E. EGAN WRP SOLIDS DISTRIBUTION-FIGURE 1

September-10



Solids Diagram




11/3/2010

(CENTRIFUGE CAKE)*

NORTH SIDE

2,997 DT

DIGESTER



STICKNEY WATER RECLAMATION PLANT SOLIDS DISTRIBUTION FOR SEPTEMBER 2010 (rev) Figure 3

LAGOONS

(3,001)* DT

(0)* DT

PELLETIZER

(3,001)* DT

DISTRIBUTION

By MBM

jg 12/12/10

(3,479)* DT

(3,333)* DT

(0)* DT

(6,812)* DT

SWRP

CENTRIFUGE

7,022 DT

				Quantity	y (dry tons)		Apr	Application	
Location No.	Name and Address of User	WRP ¹	Dates	2010 Sept.	2010 Cumulative	Biosolids Use	Area (acres)	Rate (tons/acre)	
1	BBJ Group 13821 S. Harrison Ave Blue Island, IL 60406	Stickney	9	19.5	19.5	Topsoil blending at the Blue Island facility. ²	NA ³	NA	
2	Blue Island Park District Memorial Park 12804 S. Highland Ave. Blue Island, IL 60406	Stickney	9	38.1	38.1	Topdressing as fertilizer for turf growth.	2	19.1	
3	Richton Park District 4455 Sauk Trail Richton Park, IL 60471	Stickney	9	96.6	96.6	Topdressing as fertilizer for turf growth.	5	19.3	
4	Frankfort Square Park Distr. Rogus Park 20027 S. 88 th Ave. Frankfort, IL 60423	Stickney	9, 10	237.7	303.4	Topdressing as fertilizer for turf growth.	40	5.9	
5	Woodridge Park District Cypress Cove Park 8325 S. James Ave. Woodridge, IL60517	Stickney	9, 27	51.2	51.2	Incorporation with topsoil for turf growth.	2	25.6	
6	Lisle Park District Woodglenn Park 1825 Short St. Lisle, IL 60532	Stickney	23	61.6	286.1	Incorporation with topsoil for turf growth.	2	30.8	

TABLE 1: CONTROLLED SOLIDS DISTRIBUTION PROGRAM USER INFORMATION REPORT FOR AGITATION-DRIED, ANAEROBICALLY-DIGESTED SOLIDS

Location No.		WRP ¹	Dates	Quantity (dry tons)			Application	
	Name and Address of User			2010 Sept.	2010 Cumulative	Biosolids Use	Area (acres)	Rate (tons/acre)
7	Morton Grove Park District Frank Hren Park 6500 W. Dempster St. Morton Grove, IL 60053	Stickney	23, 27	70.9	70.9	Topdressing as fertilizer for turf growth.	3	23.6
8	MWRD 6001 W. Pershing Rd. Cicero, IL 60804	Stickney	23, 27, 28	73.9	73.9	Topdressing as fertilizer for turf growth.	3	24.6
9	St. Charles Park District Campton Hills Park 101 South Second St. St. Charles, IL 60174	Stickney	23, 28, 29	247.7	247.7	Topdressing as fertilizer for turf growth.	10	24.7
10	North Shore County Club 1340 Glenview Rd. Glenview, IL 60025	Stickney	29	59.3	59.3	Topdressing as fertilizer for turf growth.	3	19.8

TABLE 1 (Continued): CONTROLLED SOLIDS DISTRIBUTION PROGRAM USER INFORMATION REPORT FOR AGITATION-DRIED, ANAEROBICALLY-DIGESTED SOLIDS

¹WRP – Water Reclamation Plant.

²Blended soil for use in 2011.

³Not available.

	Units	User's Location No. ¹						
	-	1, 2, 3, 4, 5	6, 7, 8, 9	5, 7, 8	8,9	9, 10		
рН		6.5	6.6	6.4	7.1	6.7		
Total Solids	%	77.3	72.4	69.4	72.5	79.9		
Total Volatile Solids	۲۲	34.4	38.9	38.5	38.9	39.2		
Volatile Acids as Acetic Acid	mg/dry kg	40	76	91	135	60		
Total Kjeldahl-N	٤٢	13,031	22,018	22,207	23,645	20,848		
NH ₃ -N	"	1,310	3,390	3,616	4,316	3,492		
Fotal P		13,289	21,806	19,124	20,147	18,949		
As	"	12	12	12	12	12		
Cd	"	4	4	4	4	4		
Cr	٤٢	160	163	166	165	164		
Cu	٠٠	452	432	445	442	433		
Hg	"	1.2	1.6	1.4	1.4	1.1		
X	٤٢	2,117	2,076	2,254	2,227	2,360		
Мn	"	483	491	497	501	501		
Мо	۲۲	10	12	12	12	12		
Ni	66	40	43	42	43	42		
Pb	"	153	158	160	159	159		
Se	"	<8.0	<8.0	<8.0	<8.0	<8.0		
Zn	"	947	993	1,005	1,006	995		

TABLE 2: ANALYSIS OF DIGESTED BIOSOLIDS FROM THE STICKNEY WATER RECLAMATION PLANT
APPLIED TO LAND DURING SEPTEMBER 2010

¹For location number designation, see the first column located in <u>Table 1</u>.