

Metropolitan Water Reclamation District of Greater Chicago

MONITORING AND RESEARCH DEPARTMENT

REPORT NO. 12-49

CALUMET EAST SOLIDS MANAGEMENT AREA

MONITORING REPORT FOR

THIRD QUARTER 2012

December 2012

Metropolitan Water Reclamation District of Greater Chicago

100 East Erie Street

Chicago, Illinois 60611-3154

312.751.5190

Terrence J. O'Brien President
Kathleen Therese Meany Vice President
Gloria Alitto Majewski Chairman of Finance
Frank Avila
Patricia Horton
Barbara J. McGowan
Cynthia M. Santos
Debra Shore
Mariyana T. Spyropoulos

Board of Commissioners

Thomas C. Granato, Ph.D. Director of Monitoring and Research Department thomas.granato@mwrd.org

December 21, 2012

Mr. S. Alan Keller, P.E. Manager, Permit Section Illinois Environmental Protection Agency 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794 - 9276

Dear Mr. Keller:

Subject: Calumet East Solids Management Area - Calumet Water Reclamation Plant, Illinois Environmental Protection Agency Permit No. 2010-AO-0265, Monitoring Report for July, August, and September 2012

The attached six tables contain the monitoring data for the Calumet East Solids Management Area for July, August, and September 2012 as required by Illinois Environmental Protection Agency (IEPA) Operating Permit No. 2010-AO-0265.

The data reported are as follows:

- Table 1, Analysis of Water from Lysimeters L-1N Through L-6N at the Calumet East Solids Management Area Sampled on August 1, 2012
- Table 2, Analysis of Monthly Composited Biosolids Placed in the Calumet East Solids Management Drying Area During July 2012
- Table 3, Analysis of Monthly Composited Biosolids Placed in the Calumet East Solids Management Drying Area During August 2012
- Table 4, Analysis of Monthly Composited Biosolids Placed in the Calumet East Solids Management Drying Area During September 2012
- Table 5, Analysis of Monthly Composited Processed Digested Biosolids Removed from the Calumet East Solids Management Drying Area During July 2012

Subject: Calumet East Solids Management Area - Calumet Water Reclamation Plant, Illinois Environmental Protection Agency Permit No. 2010-AO-0265, Monitoring Report for July, August, and September 2012

Table 6, Analysis of Monthly Composited Processed Digested Biosolids Removed from the Calumet East Solids Management Drying Area During September 2012

Biosolids were placed in the solids drying area during July, August, and September and removed from the site during July and September 2012.

Very truly yours,

Thomas C. Granato, Ph.D. Director Monitoring and Research

TCG:PL:cm Attachments cc w/att: Mr. J. Patel, IEPA Region 2 – Des Plaines Records Unit, IEPA

TABLE 1: ANALYSIS OF WATER FROM LYSIMETERS L-1N THROUGH L-6N AT THE CALUMET EAST SOLIDS MANAGEMENT AREA SAMPLED ON AUGUST 1, 2012

Parameter			Lysimeter No.		
	Unit	L-1N	L-2N	L-3N	L-4N
pH ¹		8.0	8.0	8.0	7.8
EC	mS/m	398	365	291	729
Total Dissolved Solids	mg/L	4,726	4,344	3,388	7,032
Total Dissolved Organic Carbon	11	8	13	6	11
Cl-	11	187	.137	51	858
$SO_4^=$	"	2,066	1,971	1,551	2,667
TKN	12	10	3	< 1	3
NH ₃ -N	"	4	2	0.3	1
$NO_2 + NO_3-N$	1)	3.1	< 0.15	< 0.15	< 0.15
Total P	11	< 0.10	3.4	0.48	0.26
Alkalinity as CaCO ₃	11	565	569	447	675
Al	,,, .	< 1.0	< 1.0	< 1.0	< 1.0
Ca	11	491	514	420	599
Cd	' 11	< 0.001	< 0.001	< 0.001	< 0.001
Cr	11	< 0.005	< 0.005	< 0.005	< 0.005
Cu	"	< 0.005	5 < 0.005	< 0.005	< 0.005
Fe) 1	12	21	5	72
Hg	μ g/L	< 0.20	< 0.20	< 0.20	< 0.20
K	mg/L	10	8	6	12
Mg	"	285	242	202	324
Mn	,,	0.174	0.632	0.673	0.545
Na	,,	185	105	58	690
Ni	"	0.008	< 0.005	< 0.005	< 0.005
Pb	"	< 0.02	< 0.02	< 0.02	< 0.02
Zn	,,	0.02	0.05	0.02	0.02

TABLE 1 (Continued): ANALYSIS OF WATER FROM LYSIMETERS L-1N THROUGH L-6N AT THE CALUMET EAST SOLIDS MANAGEMENT AREA SAMPLED ON AUGUST 1, 2012

		Lysimeter No.		
Parameter	Unit	L-5	L-6N	
1 diamotoi	Oint .			
pH^1		8.2	8.3	
EC	mS/m	192	167	
Total Dissolved Solids	mg/L	2,074	1,984	
Total Dissolved Organic Carbon	"	< 1	7	
Cl ⁻	"	226	18	
$SO_4^=$	2)	544	662	
TKN	"	< 1	< 1	
NH ₃ -N	11	< 0.1	0.9	
$NO_2 + NO_3$ -N	"	0.46	0.82	
Total P	"	< 0.10	4.2	
Alkalinity as CaCO ₃	,,	246	367	
·Al	"	< 1.0	< 1.0	
Ca	11	193	192	
Cd	11	< 0.001	< 0.001	
Cr	1)	< 0.005	< 0.005	
Cu	1)	< 0.005	< 0.005	
Fe	"	0.6	4	
Hg	μ g/ $ m L$	< 0.20	< 0.20	
K	mg/L	4	.4	
Mg	,,	94	92	
Mn	"	0.034	0.204	
Na	"	90	83	
Ni	11	< 0.005	< 0.005	
Pb	,1	< 0.02	< 0.02	
Zn	,,	< 0.01	< 0.01	

¹pH analyzed beyond recommended holding time of 15 minutes.

TABLE 2: ANALYSIS OF MONTHLY COMPOSITED BIOSOLIDS PLACED IN THE CALUMET EAST SOLIDS MANAGEMENT DRYING AREA **DURING JULY 2012**

Parameter	Unit	Concentration ¹
рН		7.9
Total Solids	%	8.2
Total Volatile Solids ²	,,	37.9

²Total volatile solids as a percentage of total solids.

TABLE 3: ANALYSIS OF MONTHLY COMPOSITED BIOSOLIDS PLACED IN THE CALUMET EAST SOLIDS MANAGEMENT DRYING AREA **DURING AUGUST 2012**

Parameter	Unit	Concentration ¹	
pH .		7.6	
Total Solids	%	9.6	
Total Volatile Solids ²	"	45.0	

¹Values are the means of three samples.

²Total volatile solids as a percentage of total solids.

TABLE 4: ANALYSIS OF MONTHLY COMPOSITED BIOSOLIDS PLACED IN THE CALUMET EAST SOLIDS MANAGEMENT DRYING AREA **DURING SEPTEMBER 2012**

Unit	Concentration ¹
	7.8
%	5.8
"	51.2
	%

¹Values are the means of two samples.

²Total volatile solids as a percentage of total solids.

TABLE 5: ANALYSIS OF MONTHLY COMPOSITED PROCESSED DIGESTED BIOSOLIDS REMOVED FROM THE CALUMET EAST SOLIDS MANAGEMENT DRYING AREA DURING JULY 2012

Parameter	Unit	Concentration ¹	
рН		7.5	
Total Solids	%	81.4	
Total Volatile Solids ²	"	43.5	
TKN	mg/kg	26,261	
NH ₃ -N	"	5,137	
Total P	,,,	27,507	
Al	"	12,336	
Ca	"	47,209	
Cd	"	2	
Cr	,,	53	
Cu	11	412	
Fe	11	22,760	
Hg	1)	0.76	
K	"	3,841	
Mg	"	17,555	
Mn	"	934	
Na))	1,564	
Ni	11	27	
Pb	>>	77	
Zn	,,	1,081	

¹Values are the means of four samples.

²Total volatile solids as a percentage of total solids.

TABLE 6: ANALYSIS OF MONTHLY COMPOSITED PROCESSED DIGESTED BIOSOLIDS REMOVED FROM THE CALUMET EAST SOLIDS MANAGEMENT DRYING AREA DURING SEPTEMBER 2012

Parameter	Unit	Concentration ¹	
рН		7.5	
Total Solids	%	46.3	
Total Volatile Solids ²	"	42.5	
TKN	mg/kg	26,553	
NH ₃ -N	,,	4,437	
Total P		23,426	
Al	11	11,234	
Ca	17	46,213	
Cd		2	
Cr	"	51	
Cu	11	368	
Fe	77	21,729	
Hg	,,	0.78	
K	,,	3,038	
Mg	"	16,145	
Mn	***	897	
Na	"	1,261	
Ni	31	25	
Pb	,,,	84	
Zn) 1	1,033	

¹Values are the means of two samples.

²Total volatile solids as a percentage of total solids.