

Metropolitan Water Reclamation District of Greater Chicago

### MONITORING AND RESEARCH DEPARTMENT

REPORT NO. 14-57

CONTROLLED SOLIDS DISTRIBUTION REPORT

FOR THIRD QUARTER 2014

December 2014



Metropolitan Water Reclamation District of Greater Chicago100 East Erie StreetChicago, Illinois 60611-3154312.751.5190

BOARD OF COMMISSIONERS Kathleen Therese Meany President Barbara J McGowan Vice President Mariyana T. Spyropoulos Chairman of Finance Michael A. Alvarez Frank Avila Cynthia M. Santos Debra Shore Kari K. Steele Patrick D. Thompson

THOMAS C. GRANATO, Ph.D., BCES Director of Monitoring and Research

312.751.5190 f: 312.751.5194 thomas.granato@mwrd.org December 18, 2014

Mr. S. Alan Keller, P.E. Manager, Permit Section Illinois Environmental Protection Agency 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

Dear Mr. Keller:

Subject: Metropolitan Water Reclamation District of Greater Chicago – Controlled Solids Distribution Program Illinois Environmental Protection Agency Permit No. 2010-SC-0200, Third Quarter (July – September 2014)

This letter transmits information and data for the Metropolitan Water Reclamation District of Greater Chicago – Controlled Solids Distribution Program for the third quarter (July – September 2014), as required by Illinois Environmental Protection Agency Permit Nos. 2010-SC-0200 and 2010-SC-0200-2.


Sludge flow schematic diagrams for solids processed during July – September 2014 are shown in <u>Figure 1</u> – John E. Egan Water Reclamation Plant (WRP), <u>Figure 2</u> – Calumet WRP, and <u>Figure 3</u> – Stickney WRP.

Biosolids were distributed to 44 sites during the third quarter of 2014. The user information report for these sites is presented in <u>Tables 1</u> and <u>2</u>, and the analysis of biosolids delivered to these sites is presented in <u>Tables 3</u> and <u>4</u>.

Very truly yours,


Thomas C. Granato, Ph.D., BCES Director Monitoring and Research


TCG:OO:cm Attachments cc: Mr. V. Aistars (USEPA) Mr. J. Patel (IEPA) FIGURE 1: JOHN E. EGAN WATER RECLAMATION PLANT OPERATIONAL FLOW CHART FOR THIRD QUARTER 2014



\*Sent to either Stickney or Calumet WRP drying sites for further processing or storage prior to farmland application.

FIGURE 2: CALUMET WATER RECLAMATION PLANT OPERATIONAL FLOW CHART FOR SECOND QUARTER 2014





### FIGURE 3: STICKNEY WATER RECLAMATION PLANT OPERATIONAL FLOW CHART FOR SECOND QUARTER 2014

|             |   |   | Quantit     | ty, dry ton        | Арр   | lication       | on                 |  |  |
|-------------|---|---|-------------|--------------------|---|----------------|--------------------|--|--|
| Site<br>No. | Name and Address of User  | Dates                                   | 3rd Quarter | Cumulative         | Purpose   | Area<br>(acre) | Rate<br>(ton/acre) |  |  |
| 1           | Chicago Park District<br>Maggie Daley Park<br>337 E. Randolph St.<br>Chicago, IL 60602                      | 7/2, 9/24,<br>9/25, 9/26,<br>9/29, 9/30 | 281.0       | 444.3 <sup>1</sup> | Soil amendment for<br>turf and tree<br>establishment  | 8              | 55.5               |  |  |
| 2           | Deerfield Park District<br>Jewett Park<br>836 Jewett Park Dr.<br>Deerfield, IL 60015.                       | 7/15, 7/17                              | 44.8        | 44.8               | Topdressing<br>fertilizer for turf<br>growth          | 3              | 14.9               |  |  |
| 3           | Lake Street Supply<br>(Bloomingdale Trail)<br>N. Ridgeway Ave. & N.<br>Ashland Ave.<br>Chicago, IL 60639    | 7/15, 9/26,<br>9/29                     | 75.9        | 75.9               | Soil amendment for<br>grass and tree<br>establishment | 5              | 15.2               |  |  |
| 4           | St. Charles Park District<br>East Side Sport Complex<br>101 S. 2 <sup>nd</sup> St.<br>St. Charles, IL 60174 | 7/16, 7/17,<br>7/18, 7/21               | 242.3       | 242.3              | Topdressing<br>fertilizer for turf<br>growth          | 17             | 14.3               |  |  |
| 5           | St. Charles Park District<br>J. Breen Park<br>Campton Hills & Peck Rd.<br>St. Charles, IL 60174             | 7/21, 7/22,<br>7/23, 7/24               | 178.8       | 178.8              | Topdressing<br>fertilizer for turf<br>growth          | 13             | 13.8               |  |  |

|             |  |                                   | Quanti      | ty, dry ton       | Ар   | plication      |                    |
|-------------|--|-----------------------------------|-------------|-------------------|--|----------------|--------------------|
| Site<br>No. | Name and Address of User   | Dates                             | 3rd Quarter | Cumulative        | Purpose                                      | Area<br>(acre) | Rate<br>(ton/acre) |
| 6           | Western Springs Park District<br>Timber Trails<br>5905 Parkview Dr.<br>Western Springs, IL 60558                               | 7/24                              | 40.8        | 40.8              | Topdressing<br>fertilizer for turf<br>growth | 3              | 13.6               |
| 7           | Village of Lyons<br>Smith Park<br>4200 Lawndale Ave.<br>Lyons, IL 60534  | 7/28, 7/29,<br>9/18, 9/19         | 348.6       | 348.6             | Topdressing<br>fertilizer for turf<br>growth | 24             | 14.5               |
|             | Moe Javedi<br>6533 Blackhawk Trail<br>Indian Head Park, IL 60525   | 8/14                              | 8.1         | 13.6 <sup>1</sup> | Topdressing<br>fertilizer for turf<br>growth | ) 1<br>9       | 13.6               |
|             | Metropolitan Water<br>Reclamation District of<br>Greater Chicago (Lane<br>Project)<br>6001 W. Pershing Rd.<br>Cicero, IL 60804 | 8/15, 8/18,<br>8/28, 8/29,<br>9/3 | 682.9       | 682.9             | Soil amendment<br>for turf<br>establishment  | 10             | 68.3               |
| 0           | Naperville Park District<br>Frontier Park<br>3380 Cedar Glade Rd.<br>Naperville, IL 60564                                      | 8/19                              | 21.1        | 21.1              | Topdressing<br>fertilizer for turf<br>growth | 1.5            | 14.0               |

|             |   |                           | Quantit     | ty, dry ton | App  | olication      |                    |
|-------------|---|---------------------------|-------------|-------------|--|----------------|--------------------|
| Site<br>No. | Name and Address of User  | Dates                     | 3rd Quarter | Cumulative  | Purpose                                      | Area<br>(acre) | Rate<br>(ton/acre) |
| 1           | Chicago Park District<br>Northerly Park<br>1521 South Linn White Dr.<br>Chicago, IL 60605   | 9/3, 9/9, 9/12,<br>9/16   | 74.3        | 74.3        | Topdressing<br>fertilizer for turf<br>growth | 5              | 14.9               |
| 12          | Chicago Park District<br>Washington Park<br>5531 S. King Dr.<br>Chicago, IL 60637           | 9/18, 9/19,<br>9/22, 9/23 | 509.3       | 509.3       | Topdressing<br>fertilizer for turf<br>growth | 35             | 14.6               |
| 13          | Village of Glenwood<br>Hickory Glen Park<br>928 192 <sup>nd</sup> Pl.<br>Glenwood, IL 60425 | 9/19                      | 168.8       | 168.8       | Topdressing<br>fertilizer for turf<br>growth | 12             | 14.1               |
| 14          | Glenwoodie Golf Club<br>19301 S. State St.<br>Glenwood, IL                                  | 9/20                      | 6.4         | 6.4         | Topdressing<br>fertilizer for turf<br>growth | 0.5            | 12.7               |
| 15          | Franklin Park District<br>North Park<br>10040 Addison St.<br>Franklin Park, IL 60131        | 9/22                      | 16.0        | 16.0        | Topdressing<br>fertilizer for turf<br>growth | 1              | 16.0               |

|             |   |            | Quantit     | ry, dry ton | App  | olication      |                    |
|-------------|---|------------|-------------|-------------|--|----------------|--------------------|
| Site<br>No. | Name and Address of User  | Dates      | 3rd Quarter | Cumulative  | Purpose                                      | Area<br>(acre) | Rate<br>(ton/acre) |
| 16          | Franklin Park District<br>Birch Park<br>2952 Birch St.<br>Franklin Park, IL 60131             | 9/22       | 16.4        | 16.4        | Topdressing<br>fertilizer for turf<br>growth | 1              | 16.4               |
| 17          | North Shore Country Club<br>1340 Glenview Rd.<br>Glenview, IL 60025                           | 9/22, 9/26 | 200.9       | 200.9       | Topdressing<br>fertilizer for turf<br>growth | 15             | 13.4               |
| 18          | City of Northlake<br>Centerpoint Preserve<br>100 W. Palmer St.<br>Northlake, IL 60164         | 9/24, 9/25 | 250.3       | 250.3       | Soil amendment<br>for turf<br>establishment  | 17             | 14.7               |
| 19          | Coolidge Junior High School<br>15500 7 <sup>th</sup> Ave.<br>Phoenix, IL 60426                | 9/25, 9/26 | 55.4        | 55.4        | Topdressing<br>fertilizer for turf<br>growth | 4              | 13.8               |
| 20          | Tinley Park Park District<br>Dog Park<br>19900 80 <sup>th</sup> Ave.<br>Tinley Park, IL 60487 | 9/30       | 44.5        | 44.5        | Topdressing<br>fertilizer for turf<br>growth | 3              | 14.8               |

<sup>1</sup>Includes application during second quarter of 2014.

|             |  |  | Quantit     | ty, dry ton | App                                       | lication       |                 |
|-------------|--|--|-------------|-------------|---|----------------|-----------------|
| Site<br>No. | Name and Address of<br>User  | Dates  | 3rd Quarter | Cumulative  | Purpose                                   | Area<br>(acre) | Rate (ton/acre) |
| 1           | Oak Lawn Park District<br>Oakview Park<br>4625 W. 110th St.<br>Oak Lawn, IL 60453      | 7/10   | 12.5        | 12.5        | Topdressing fertilizer<br>for turf growth | 1              | 12.5            |
| 2           | Elmhurst Lacrose<br>605 N. Hillside St.<br>Elmhurst, IL 60126                          | 7/10   | 51.2        | 51.2        | Topdressing fertilizer for turf growth    | 3              | 17.1            |
| 3           | Keith Construction<br>54 Sawgrass Dr.<br>Lemont, IL 60439                              | 7/10   | 101.4       | 101.4       | Soil amendment for turf establishment     | 4              | 25.3            |
| 4           | Evanston High School<br>1600 Dodge Ave.<br>Evanston, IL 60201                          | 7/11   | 58.8        | 58.8        | Topdressing fertilizer for turf growth    | 4              | 14.7            |
| 5           | Chicago Park District<br>Maggie Daley Park<br>337 E. Randolph St.<br>Chicago, IL 60602 | 7/11, 7/16,<br>7/17, 7/18,<br>7/28, 7/31,<br>8/1, 8/19,<br>8/28, 9/8, 9/9,<br>9/23, 9/24 | 571.5       | 1,015.81    | Soil amendment for<br>turf establishment  | 15             | 67.7            |
| 6           | Evanston-Wilmette Golf<br>Course<br>1030 Central St.<br>Evanston, IL 60201             | 7/16, 7/17,<br>7/18  | 215.3       | 215.3       | Topdressing fertilizer for turf growth    | 15             | 14.4            |

3

|             |  |            | Quant       | ity, dry ton | Application                               |                |                 |  |
|-------------|--|------------|-------------|--------------|---|----------------|-----------------|--|
| Site<br>No. | Name and Address of<br>User  | Dates      | 3rd Quarter | Cumulative   | Purpose                                   | Area<br>(acre) | Rate (ton/acre) |  |
| 7           | Village of Hinsdale<br>Veeck Park<br>19 E. Chicago Ave.<br>Hinsdale, IL 60521  | 7/21       | 91.4        | 91.4         | Topdressing fertilizer<br>for turf growth | 7              | 13.1            |  |
| 8           | Village of Hinsdale<br>Brook Park<br>3 <sup>rd</sup> St. & Columbia Ave.<br>19 E. Chicago Ave.<br>Hinsdale, IL 60521 | 7/22       | 43.7        | 43.7         | Topdressing fertilizer<br>for turf growth | 3              | 14.6            |  |
| 9           | Village of Hinsdale<br>Burns Field<br>320 N. Vine St.<br>Hinsdale IL 60521   | 7/22       | 43.3        | 43.3         | Topdressing fertilizer for turf growth    | 3              | 14.4            |  |
| 10          | Chicago Park District<br>Douglas Park<br>1401 S. Sacramento Dr.<br>Chicag, IL 60623                                  | 7/22, 7/24 | 256.6       | 256.6        | Topdressing fertilizer for turf growth    | 18             | 14.3            |  |
| 11          | Chicago Park District<br>Garfield Park<br>100 N. Central Park Ave.<br>Chicago IL 60624                               | 7/25       | 165.2       | 165.2        | Topdressing fertilizer for turf growth    | 12             | 13.8            |  |

|             |  |                     | Quantit     | ty, dry ton | Apj                                       | olication      |                 |
|-------------|--|---------------------|-------------|-------------|---|----------------|-----------------|
| Site<br>No. | Name and Address of<br>User  | Dates               | 3rd Quarter | Cumulative  | Purpose                                   | Area<br>(acre) | Rate (ton/acre) |
| 12          | Chicago Park District<br>Marquette Park<br>6743 S. Kedzie Ave.<br>Chicago, IL 60629          | 7/28, 7/29,<br>7/31 | 543.7       | 543.7       | Topdressing fertilizer<br>for turf growth | 37             | 14.7            |
| 13          | Chicago Park District<br>Eckhart Park<br>1330 W. Chicago Ave.<br>Chicago, IL 60653           | 8/4                 | 27.3        | 27.3        | Topdressing fertilizer<br>for turf growth | 2              | 13.7            |
| 14          | Chicago Park District<br>Union Park<br>1501 W. Randolph St.<br>Chicago, IL 60606             | 8/4                 | 27.6        | 27.6        | Topdressing fertilizer for turf growth    | 2              | 13.8            |
| 15          | Chicago Park District<br>Piotrowski Park<br>4247 W. 31 <sup>st</sup> St.<br>Chicago IL 60623 | 8/6                 | 34.0        | 34.0        | Topdressing fertilizer<br>for turf growth | 3              | 11.3            |
| 16          | Chicago Park District<br>McKinley Park<br>2210 W. Pershing Rd.<br>Chicago, IL 60609          | 8/6                 | 92.1        | 92.1        | Topdressing fertilizer for turf growth    | 6              | 15.3            |

|             |  |            |             | ty, dry ton        | Ap  | olication      |                 |
|-------------|--|------------|-------------|--------------------|---|----------------|-----------------|
| Site<br>No. | Name and Address of<br>User  | Dates      | 3rd Quarter | Cumulative         | Purpose                                   | Area<br>(acre) | Rate (ton/acre) |
| 17          | Chicago Park District<br>Smith Park<br>2526 W. Grand Ave.<br>Chicago, IL 60612                                       | 8/6        | 62.0        | 62.0               | Topdressing fertilizer<br>for turf growth | 4              | 15.5            |
| 18          | Chicago Park District<br>Harrison Park<br>1824 S. Wood St.<br>Chicago IL 60608                                       | 8/7        | 89.1        | 89.1               | Topdressing fertilizer<br>for turf growth | 6              | 14.8            |
| 19          | Frankfort Square Park<br>District<br>Lincoln-Way North High<br>School<br>19900 S. Harlem Ave.<br>Frankfort, IL 60423 | 8/14       | 14.7        | 14.7               | Topdressing fertilizer<br>for turf growth | 1              | 14.7            |
| 20          | Tinley Park Park District<br>Dog Park<br>19900 80 <sup>th</sup> Ave.<br>Tinley Park, IL 60487                        | 8/14, 8/20 | 215.6       | 260.1 <sup>1</sup> | Topdressing fertilizer<br>for turf growth | 15             | 14.4            |
| 21          | Chicago Park District<br>Dunbar Park<br>300 E. 31 <sup>st</sup> St.<br>Chicago IL 60616                              | 8/15       | 31.3        | 31.3               | Topdressing fertilizer<br>for turf growth | 2              | 15.6            |

|             |  |       | Quantit     | y, dry ton | Apr                                       | olication      |                 |
|-------------|--|-------|-------------|------------|---|----------------|-----------------|
| Site<br>No. | Name and Address of User   | Dates | 3rd Quarter | Cumulative | Purpose                                   | Area<br>(acre) | Rate (ton/acre) |
| 22          | Chicago Park District<br>Washington Park<br>5531 S King Dr.<br>Chicago IL 60637              | 8/15  | 61.8        | 61.8       | Topdressing fertilizer<br>for turf growth | 4              | 15.4            |
| 23          | Calumet Park District<br>Downey Park<br>300 Jeffery Ave.<br>Calumet City IL 60409            | 9/9   | 67.6        | 67.6       | Soil amendment for<br>turf establishment  | 5              | 13.5            |
| 24          | Glenwoodie Golf Club<br>19301 S. State St.<br>Glenwood, IL                                   | 9/17  | 14.2        | 14.2       | Topdressing fertilizer for turf growth    | 1              | 14.2            |
| 25          | Village of Gleenwood<br>Hickory Glen Park<br>928 192 <sup>nd</sup> Pl.<br>Glenwood, IL 60425 | 9/17  | 94.0        | 94.0       | Topdressing fertilizer for turf growth    | 7              | 13.4            |

Includes biosolids from Stickney WRP and those applied during second quarter of 2014.

2.

| Sampling Date           |       | 2-Jul  | 15-Jul  | 21-Jul     | 29-Jul | 14-Aug | 15-Aug | 19-Aug | 29-Aug | 3-Sep  |
|-------------------------|-------|--------|---------|------------|--------|--------|--------|--------|--------|--------|
| Site No. <sup>1</sup>   |       | 1      | 2, 3, 4 | 4, 5, 6, 7 | 7      | 8      | 9, 11  | 10     | 9      | 11     |
| Constituent             | Unit  |        |         |            |        |        |        |        |        |        |
| pH                      |       | 5.9    | 6.3     | 6.4        | 6.2    | 7.0    | 8.3    | 6.3    | 7.7    | 6.1    |
| Total Solids            | %     | 75.2   | 74.2    | 65.7       | 69.2   | 45.6   | 59.7   | 66.0   | 51.0   | 66.3   |
| Total Volatile Solids   | u     | 37.9   | 38.2    | 38.7       | 37.1   | 53.1   | 45.1   | 32.4   | 36.8   | 33.4   |
| Volatile Acids as       |       |        |         |            |        | 0.00   | 1      |        | 105    | 20     |
| Acetic Acid             | mg/kg | 33     | 49      | 8          | 108    | 123    | 523    | 38     | 125    | 32     |
| Total Kjeldahl Nitrogen | f F   | 22,635 | 22,090  | 20,638     | 13,855 | 26,513 | 15,497 | 18,094 | 25,337 | 17,649 |
| NH <sub>3</sub> -N      | **    | 879    | 1,730   | 99         | 24     | 1,296  | 5,299  | 44     | 6,301  | 27     |
| Total P                 |       | 19,087 | 20,987  | 21,516     | 14,504 | 27,174 | 14,726 | 18,170 | 23,384 | 20,358 |
| As                      | н     | 8      | 7       | 8          | 9      | <5     | 8      | 8      | 8      | 8      |
| Cd                      | **    | 3      | 3       | 3          | 3      | 1      | 3      | 3      | 3      | 3      |
| Cr                      |       | 152    | 147     | 149        | 150    | 94     | 140    | 158    | 149    | 160    |
|                         |       |        |         |            |        |        |        |        |        |        |

# TABLE 3: ANALYSIS OF AIR-DRIED BIOSOLIDS APPLIED TO LAND FROM THE STICKNEY WATER RECLAMATION PLANT'S SOLIDS DRYING AREAS DURING THE THIRD QUARTER OF 2013

5

| Sampling Date                 |       | 12-Sep | 18-Sep | 18-Sep | 20-Sep    | 22-Sep | 24-Sep           | 23-Sep | 26-Sep | 30-Sep          |
|-------------------------------|-------|--------|--------|--------|-----------|--------|------------------|--------|--------|-----------------|
| Site No. <sup>1</sup>         |       | 1      | 11     | 7, 12  | 7, 12, 13 | 14     | 12, 15,16,<br>17 | 1, 18  | 12     | 1, 3, 17,<br>19 |
| Constituent                   | Unit  |        |        |        |           | -      |                  |        |        |                 |
| рН                            |       | 6.1    | 6.1    | 5.8    | 7.0       | 6.0    | 6.5              | 6.2    | 6.0    | 7.0             |
| Total Solids                  | %     | 61.2   | 67.0   | 63.8   | 47.3      | 77.7   | 68.7             | 68.4   | 66.3   | 65.9            |
| Total Volatile Solids         | "     | 35.9   | 35.2   | 36.4   | 46.6      | 34.8   | 35.9             | 34.8   | 37.7   | 37.4            |
| Volatile Acids as Acetic Acid | mg/kg | 23     | 13     | 17     | 34        | 174    | 301              | 80     | 253    | NA <sup>2</sup> |
| Total Kjeldahl Nitrogen       | **    | 19,008 | 19,824 | 20,034 | 20,698    | 15,363 | 25,144           | 14,058 | 23,955 | 24,470          |
| NH <sub>3</sub> -N            | **    | 19     | 31     | 217    | 39        | 63     | 3,348            | 29     | 824    | 4,888           |
| Total P                       | **    | 21,321 | 21,578 | 22,802 | 22,577    | 16,242 | 22,436           | 16,328 | 28,837 | 20,542          |
| As                            | 11    | 9      | 7      | 7      | <5        | 9.0    | 7.0              | 8.0    | 7.0    | 10              |
| Cd                            | **    | 3      | 3      | 3      | 2         | 4      | 4                | 4      | 3      | 3               |
| Cr                            | n     | 163    | 147    | 137    | 93        | 164    | 147              | 163    | 147    | 147             |
|                               |       |        |        |        |           |        |                  |        |        |                 |

## TABLE 3 (Continued): ANALYSIS OF AIR-DRIED BIOSOLIDS APPLIED TO LAND FROM THE STICKNEY WATERRECLAMATION PLANT'S SOLIDS DRYING AREAS DURING THE THIRD QUARTER OF 2013

|                       |             |       |         | and the second sec |        |        |        |        |        |       |
|-----------------------|-------------|-------|---------|--|--------|--------|--------|--------|--------|-------|
| Sampling Date         |             | 2-Jul | 15-Jul  | 21-Jul   | 29-Jul | 14-Aug | 15-Aug | 19-Aug | 29-Aug | 3-Sep |
| Site No. <sup>1</sup> |             | 1     | 2, 3, 4 | 4, 5, 6, 7   | 7      | 8      | 9, 11  | 10     | 9      | 11    |
| Constituent           | <u>Unit</u> |       |         |  |        |        |        |        |        |       |
| Cu                    | mg/kg       | 452   | 430     | 435  | 446    | 420    | 429    | 457    | 439    | 462   |
| Hg                    | u.          | 1.0   | 1.1     | 1.2  | 1.2    | 0.6    | 1.0    | 1.1    | 0.9    | 0.8   |
| K                     | 11          | 3,590 | 3,657   | 3,731  | 3,242  | 3,579  | 3,167  | 3,137  | 4,927  | 2,883 |
| Mn                    | "           | 530   | 507     | 502  | 510    | 608    | 506    | 535    | 555    | 527   |
| Мо                    | **          | 10    | 11      | 10   | 9      | 4      | 9      | 9      | 15     | 11    |
| Ni                    | **          | 44    | 43      | 42   | 44     | 39     | 44     | 46     | 47     | 47    |
| Pb                    | **          | 120   | 115     | 113  | 114    | 52     | 112    | 120    | 113    | 120   |
| Se                    | 11          | <5    | <5      | <5   | <5     | <5     | <5     | <5     | <5     | <5    |
| Zn                    | n           | 878   | 837     | 851  | 861    | 535    | 848    | 923    | 822    | 922   |
|                       |             |       |         |  |        |        |        |        |        |       |

# TABLE 3 (Continued): ANALYSIS OF AIR-DRIED BIOSOLIDS APPLIED TO LAND FROM THE STICKNEY WATERRECLAMATION PLANT'S SOLIDS DRYING AREAS DURING THE THIRD QUARTER OF 2013

| Sampling Date         |       | 12-Sep | 18-Sep | 18-Sep | 20-Sep    | 22-Sep | 24-Sep           | 23-Sep | 26-Sep | 30-Sep          |
|-----------------------|-------|--------|--------|--------|-----------|--------|------------------|--------|--------|-----------------|
| Site No. <sup>1</sup> |       | 1      | 11     | 7, 12  | 7, 12, 13 | 14     | 12, 15,16,<br>17 | 1, 18  | 12     | 1, 3, 17,<br>19 |
| Constituent           | Unit  |        |        |        |           |        |                  |        |        |                 |
| Cu                    | mg/kg | 449    | 467    | 436    | 488       | 488    | 453              | 488    | 477    | 439             |
| Hg                    |       | 0.7    | 1.3    | 1.0    | 1.1       | 1.1    | 1.2              | 1.3    | 1.0    | 0.8             |
| K                     | **    | 4,344  | 1,833  | 2,759  | 3,491     | 2,621  | 2,682            | 2,881  | 2,303  | 4,388           |
| Mn                    | **    | 527    | 502    | 527    | 574       | 554    | 563              | 535    | 571    | 549             |
| Мо                    | **    | 10     | 10     | 14     | 4         | 11     | 13               | 10     | 12     | 13              |
| Ni                    |       | 46     | 5      | 46     | 44        | 50     | 48               | 49     | 50     | 46              |
| Pb                    | 17    | 117    | 115    | 112    | 61        | 127    | 119              | 125    | 117    | 114             |
| Se                    |       | <5     | <5     | <5     | <5        | <5     | <5               | <5     | <5     | <5              |
| Zn                    | **    | 916    | 891    | 793    | 598       | 969    | 866              | 966    | 876    | 817             |

# TABLE 3 (Continued): ANALYSIS OF AIR-DRIED BIOSOLIDS APPLIED TO LAND FROM THE STICKNEY WATER RECLAMATION PLANT'S SOLIDS DRYING AREAS DURING THE THIRD QUARTER OF 2013

<sup>1</sup>Site information is provided in <u>Table 1</u>. <sup>2</sup>Not available.

| Sampling Date                 |       | 2-Jul               | 17-Jul               | 24-Jul   | 14-Aug            | 20-Aug | 5-Sep  | 12-Sep | 12-Sep | 30-Sep | 30-Sep |
|-------------------------------|-------|---------------------|----------------------|--|-------------------|--------|--------|--------|--------|--------|--------|
| Site No. <sup>1</sup>         |       | 1, 2, 3,<br>4, 5, 6 | 5, 6, 7, 8,<br>9, 10 | 5, 10, 11,<br>12, 13, 14,<br>15, 16, 17,<br>18 | 19, 20,<br>21, 22 | 22     | 5      | 23     | 5, 24  | 5      | 25     |
| Constituent                   | Unit  |                     | -                    |  |                   |        |        |        |        |        |        |
| pH                            |       | 6.4                 | 6.0                  | 6.3  | 6.2               | 5.6    | 6.6    | 5.6    | 6.1    | 6.0    | 5.9    |
| Total Solids                  | %     | 57.2                | 67.2                 | 67.7   | 70.9              | 68.2   | 54.6   | 54.8   | 56.2   | 51.5   | 75.4   |
| Total Volatile Solids         | "     | 46.2                | 42.0                 | 42.0   | 44.1              | 45.4   | 42.0   | 45.0   | 45.9   | 49.2   | 46.4   |
| Volatile Acids as Acetic Acid | mg/kg | 215                 | 37                   | 340  | 23                | 9      | 108    | 51     | 28     | 128    | 91     |
| Total Kjeldahl Nitrogen       |       | 25,201              | 18,939               | 20,670   | 22,782            | 22,153 | 17,175 | 20,462 | 18,927 | 14,159 | 21,642 |
| NH <sub>3</sub> -N            | **    | 648                 | 25                   | 131  | 718               | 266    | 420    | 271    | 58     | 136    | 439    |
| Total P                       | **    | 24,550              | 22,054               | 23,263   | 25,801            | 24,213 | 19,202 | 22,915 | 23,105 | 16,674 | 21,156 |
| As                            |       | 7                   | 8                    | 7  | 6                 | 8      | 7      | 8      | 7      | 6      | 8      |
| Cd                            | **    | 2                   | 2                    | 2  | 2                 | 2      | 2      | 2      | 2      | 2      | 2      |
| Cr                            | **    | 60                  | 62                   | 60   | 54                | 56     | 51     | 59     | 52     | 59     | 53     |
| Cu                            | "     | 433                 | 457                  | 419  | 431               | 450    | 338    | 428    | 347    | 315    | 429    |
| Hg                            | "     | 1.0                 | 0.6                  | 0.9  | 0.9               | 0.8    | 0.6    | <0.25  | <0.25  | 0.7    | 0.8    |

### TABLE 4: ANALYSIS OF AIR-DRIED BIOSOLIDS APPLIED TO LAND FROM THE CALUMET WATER RECLAMATION PLANT'S SOLIDS DRYING AREAS DURING THE THIRD QUARTER OF 2014

| Sampling Date         |             | 2-Jul            | 17-Jul            | 24-Jul  | 14-Aug            | 20-Aug | 5-Sep | 12-Sep | 12-Sep | 30-Sep | 30-Sep |
|-----------------------|-------------|------------------|-------------------|---|-------------------|--------|-------|--------|--------|--------|--------|
| Site No. <sup>1</sup> |             | 1, 2, 3, 4, 5, 6 | 5, 6, 7, 8, 9, 10 | 5, 10, 11, 12, 13, 14,<br>15, 16, 17, 18  | 19, 20,<br>21, 22 | 22     | 5     | 23     | 5,24   | 5      | 25     |
| Constituent           | <u>Unit</u> |                  |                   | n na serie de la construcción de la |                   |        |       |        | 9      |        |        |
| K                     | mg/kg       | 2,841            | 2,323             | 2,616   | 1,517             | 1,582  | 2,844 | 3,256  | 2581   | 3075   | 2793   |
| Mn                    | 51          | 989              | 1,050             | 961   | 937               | 976    | 831   | 907    | 867    | 959    | 876    |
| Мо                    | **          | 8                | 10                | 9   | 11                | 10     | 6     | 10     | 7      | 6      | 11     |
| Ni                    |             | 27               | 31                | 29  | 28                | 29     | 24    | 28     | 25     | 22     | 27     |
| Pb                    | **          | 82               | 100               | 94  | 81                | 85     | 83    | 80     | 87     | 79     | 80     |
| Se                    | **          | <5               | <5                | <5  | <5                | <5     | <5    | <5     | <5     | <5     | <5     |
| Zn                    | 11          | 1,369            | 1,350             | 1,244   | 1,439             | 1,513  | 1,001 | 1,336  | 1,063  | 931    | 1,305  |

# TABLE 4 (Continued): ANALYSIS OF AIR-DRIED BIOSOLIDS APPLIED TO LAND FROM THE CALUMET WATERRECLAMATION PLANT'S SOLIDS DRYING AREAS DURING THE THIRD QUARTER OF 2014

<sup>1</sup>Site information is provided in <u>Table 2</u>.